



DASH PANEL MAT


					NAME	PA	SSENGER CAR	INSTRUCTION	MANUA	L
					REF.		DRAWN	CHECKED	SECT.	SHEET
7-31-56		RELEASED	8502		DATE		PART No.	F	1	4.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	 	-56		36500	•	7.00






INSTRUMENT PANEL ACCESSORY HOLE COVERS

						NAME PA	SSENGER CAR	INSTRUCTION	MANUA	<u>.</u>
									SECT.	SHEET
7-31-56		RELEASED	8502				PART No.	-	1	5.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.	6-5-56	37	36500		



VIEW A




MODELS ALL

VIEW B

INSTRUMENT PANEL NAME PLATE

						NAME PA	SSENGER CAR	INSTRUCTION	MANUA	
6-11-57 12-11-56	2	WAS 3712864 NOTE ADDED & VIEW REVISED	1770 626 9		F	REF.	DRAWN V	CHECKED	39 CT.	SHEET
7-31-56 DATE	SYM.	RELEASED REVISION RECORD	8502 AUTH.	DR.	ĊK.	DATE 5-28-56	PART No.	36500		6.00




SEE LUBRICATION INSTRUCTION

MODELS ALL

ASH TRAY


MOR IK	MA I									
						NAME P	SSENGER CAR	INSTRUCTION	MANUA	L
				_		REF.	DRAWN	CHECKED	SECT.	SHEET
				-	╁		P	F	4	7.00
7-31-56		RELEASED	8502			DATE	PART No.	24500		7.00
	SYM.	REVISION RECORD	AUTH.	DR.	CX.	6-1-56	37	36500		




INSTRUMENT PANEL TRIM PLATES

						NAME	PA	SSENGER CAR	INSTRUCTION	MANUA	L
						REF.		DRAWN	CHECKED	SECT.	SHEET
7-25-57	2	REDRAWN AND REVISED	723	V	F	DATE		PART No.		1	8.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.		6-6-56	3 7 3	6500		







VIEW A

MODELS

2100-2400 ALL L.D.

INSTRUMENT CLUSTER MOULDING


1142 KOU	MELTI	CERTIFIC MOCEDING								
						NAME PA	SSENGER CAR	INSTRUCTION	MANUA	L
			 	-		REF.	DRAWN	CHECKED	SECT.	SHEET
							P	F	- 1	9.00
7-31-56		RELEASED	8502		_		PART No.	36500	•	7.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.	6-19-56	37	36300		



11-15 LBS. IN.


▲ 10-14 LBS. FT.

17-25 LBS. IN.




STEERING GEAR JACKET COVER

						NAME PA	SCENIGED CAR	INSTRUCTION	MANHA	
	3	WAS 3735711			F			MATROCHOR	MANUA	-
L	2	WAS 3735568				REF.	DRAWN	CHECKED	SECT.	SHEET
1-28-57	1	WAS 161897	282			1	P	P		
7-31-56		RELEASED	8502			DATE	PART No.	<u> </u>	1 1	10.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.			36500	' '	10.00





					_	NAME PA	SENGER CAR	INSTRUCTION	MANUA	L
	5	NOTE ADDED	8079		LE.		DRAWN	OBOGD	SECT.	Signal V
	4	NOTE ADDED			L	- Table	DEAMN	-	***	
	3	VIEW ADDED					P	F	1 4	11 00
3-25-57	3	REDRAWN	T754	V			PART No.		1 1	11.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CX.	6-11-56	373	86500		



DASH PANEL HEATER & VALVE HOLE COVER


NAME PASSENGER CAR INSTRUCTION MANUAL WAS "ALL L, D, " F PART ADDED **#** 1467 DRAWN CHECKED SECT. SHEET WAS 161894 F 5-27-57 12.00 REDRAWN 4 681 DATE PART No. 3736500 SYM. DATE REVISION RECORD AUTH, DR. 6-21-56






BODY MOULDING

			ļ			NAME PA	SSENGER CAR	INSTRUCTION	MANUA	L
ļ	 -	· <u>·</u> ····	} 		┞┈	REF.	DRAWN	СНИСКО	SECT.	SHEET
2-11-57	L	WAS 25-35 LBS. IN.	7935		I				1 1	14.01
11-5-56		RELEASED	5170	-	L		PART No.	3 4 5 0 0	•	17.01
DATE	SYM	REVISION RECORD	AUTH	DR.	α.	10-4-56	1			






MODELS SEDAN DELIVERY AND STATION WAGON

REAR SHOCK ABSORBER HOLE COVER


		, , , , , , , , , , , , , , , , , , , ,				NAME PASS	ENGED CAD IN	STRUCTION MA	AMILAI	
								SIKUCIION MI	MIONE	
						REF.	DRAWN	CHECKED	SECT.	SHEET
1							v	F		1
7-31-56		RELEASED	8502			DATE	PART No.		1 1	15.00
DATE	SYM.	REVISION RECORD	AUTH,	DR.	CK.	5-25-56	373	6500	•	10.00



MODELS 9 PASSENGER STATION WAGON

ACCESS HOLE MASKING & FLOOR MAT INSTALLATION


						NAME P	ASSENGER CAI	NSTRUCTIO	MANU	AL
						REF.	DRAWN	CHECKED	SECT.	SHEET
7-31-56		RELEASED	8502			1	PART No. 3.7.3	6500	1	16.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.	5-24-56			<u>, I</u> ,	



MODELS ALL


NO. 1 BODY MOUNTING

						NAME PASS	ENGER CAR II	NSTRUCTION M	ANUAL	
							DRAWN	CHECKED	SECT.	SHEET
4-12-57 7-31-56		WAS 3711608 RELEASED	8925 8502		F	DATE	PART No.	F	1	17.00
DATE	SYM.	REVISION RECORD		DR.	OK.	5-18-56	37	36500	•	.,



NO. 2 INNER BODY MOUNTING & GAUGE HOLE


						NAME PASSEN	GER CAR IN	ISTRUCTION MAI	NUAL	
						REF.	DRAWN	CHECKED F	SECT.	SHEET
7-31-56		RELEASED	8502			DATE	PART No.	704500	1 1	18.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.	5-18-56	3	736500	<u> </u>	



MODELS ALL


NO. 2 OUTER BODY MOUNTING

					<u> </u>	NAME PASSE	NGER CAR INS	TRUCTION MA	MILAI	
	-	WAS 9711400			-	REF.	IDRAWN	CHECKED	SECT.	SHEET
4-12-57	1	WAS 3711608 WAS 3711614	8925		<u> </u>	1	P	F	seci.	
7-31-56		RELEASED	8502			DATE	PART No.		11	19.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	Œ.	5-18-56	PART No. 3 7 3	6500	1	




NO. 3 INNER BODY MOUNTING


						NAME	PASSENGER CAR INSTRUCTION MANUAL
4-12-57	2	WAS 3711608 WAS 3711614	8925		F	REF.	DRAWN CHECKED SECT. SHEET
7-31-56		RELEASED	8502			DATE	PART No. 3736500 1 20.00
DATE	SYM.	REVISION RECORD	ÀUTH:	DR.	CX.		5-18-56



NO. 3 OUTER BODY MOUNTING

				<u> </u>		NAME PASSE	<u>" </u>			
	5	WAS 3711608	 	-	<u> </u>		DRAWN	TCHECKED	SECT.	SHEET
4-13-67	1	WAS 3711614	8925	<u> </u>			P	7		
7-31-55		RELEARED	8502	╙	ļ,		PART No.	6500	Ţ I	21.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	α.	6-18-60		, 0 , 0 0	1	






MODELS SPORT COUPE


NO. 3-A BODY MOUNTING

						NAME PASSE	NGER CAR IN	STRUCTION MA	MUAL	
	•	WAS 3711606			-		DRAWN	CHECKED	SECT.	SHEET
4-12-57	1	WAS 3711614	8925				P	F		99 00
7-31-56		RELEASED	8502		_	DATE	PART No. 2 7 2	6500]]	22.00
DATE	5 7M.	REVISION RECORD	AUTH.	DR.	σĸ.	5-18-56	3/3		1	



NO. 3-A BODY MOUNTING


		····				NAME PA	SENGER CAR	INSTRUCTION	MANHA	
			T					1431KOCIION 1	MANUAL	•
						REF.	DRAWN	CHECKED	SECT.	SHEET
						1	Þ	F		
7-31-56		RELEASED	8502			DATE	PART No.		1 1	23.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	α.	5-18-56	373	6500	'	



MODELS ALL


NO. 4 BODY MOUNTING


						NAME PASS	ENGER CAR II	ISTRUCTION M	ANUAL	
4-12-57	2	WAS 3711608 WAS 3711614	8925		F	REF.	DRAWN P	CHECKED	SECT.	SHEET
7-31-56	-	RELEASED	8502			DATE	PART No.	4 4 0 0	1 1	24.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.	5-18-56	3/3	6500		



NO. 5 BODY MOUNTING

						NAME PASSE	NGER CAR INS	TRUCTION MA	NUAL	
	2	WAS 3711608		-	F	REF.	DRAWN	CHECKED	SECT.	SHEET
4-12-57	1	WAS 3711614	8925				P	F	4	05.00
7-31-56		RELEASED	8502			DATE	PART No.			25.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.	5-18-56	373	6500		






CONVERTIBLE & PASSENGER STATION WAGON


NO. 5-A BODY MOUNTING

						NAME PASSE	NGER CAR INS	TRUCTION MA	NUAL	
	2	WAS 3711608	<u> </u>		7		DRAWN	CHECKED	SECT.	SHEET
4-13-17	1	WAS 3711614	8925		_		P	7	4	96.00
7-11-56		RELEASED	8502	<u> </u>		_	PART No.	6500	1	20.00
DATE	SYML	REVISION RECORD	AUTH.	DR.	CK.	5-18-56	3/3	0300		




NO. 6 BODY MOUNTING

						NAME PASS	ENGER CAR IN	ISTRUCTION M	ANUAL	
	3	WAS 3711608			F					
4-12-57	2	WAS 3711614	8925	I		REF.	DRAWN	CHECKED	SECT.	SHEET
3-25-57	1	377918 WAR 362525	544		F		P	F		
7-31-56		RELEASED	8502			DATE	PART No.		1 1	27.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.		373	36500	-	



USED TO ATTACH BODY SHIM AT #2 INNER BODY BRACKET AND #6 BODY BRACKET.




USED TO ATTACH BODY SHIM TO BODY BRACKETS AT #1, #2 OUTER, #3 INNER & OUTER, #3A, #4, #5 & #5A.

MODELS CONVERTIBLE

BODY SHIM HOLDING


						NAME PASSE	IGER CAR INST	RUCTION MAN	IUAL	
			.		-	REF.	DRAWN	CHECKED	SECT.	SHEET
——			 		†		P	F	_ 4	28.00
7-31-56		RELEASED	8502				PART No. 3 7	36500		20.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.	5-18-56				




SEDAN DELIVERY &
STATION WAGON
EXCEPT
CKD BLOOMFIELD

BODY SHIM


						NAME PASSI	ENGER CAR IN	***************************************		
						REF.	DRAWN	CHECKED	SECT.	SHEET
7-31-56		RELEASED	8502			DATE	PART No.		1 1	29.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.		37	36500		






ALL EXCEPT 2434 CKD BLOOMFIELD

	\vdash				_	MAME PASSENGER CAR INSTRUCTION MANUAL					
-	\vdash					REF.	DRAWN		CHECKED	SECT.	SHEET
8-25-56	1	NOTE ADDED	3312	V	F		1	٧	F		400 4
7-31-56		RELEASED	8502			DATE	PART No.			Z	1.00 A
DATE	SYM.	REVISION RECORD	AUTH.	DR.	Œ	8-1	3-56	37	36500		





						NAME	PAS	SENGER CAR	INSTRUCTION	MANUA	
ļ				\vdash	-	NEF.				SECT.	See
8-25-56	1	NOTE ADDED	3312	V	F			v	7	اما	4000
7-31-56		RELEASED	8502			DATE		PART No.		Z	1.00 B
DATE	SYM.	REVISION RECORD	AUTH.	OR.	CK.	6	-13-55	373	6500		_



CED BLOOMPIELD


						NAME PA	SENGER CAR	INSTRUCTION	MANUAL	
						REF.	DEAWN	CHECKED	SECT.	SHIET
7-31-56		RELEASED	8502	-	-	DATE	PART No.	· · · · · · · · · · · · · · · · · · ·	9	1.00 C
DATE	SYM.	REVISION RECORD	AUTH	Dit.				6500	_	1,000







CLUTCH SHAFT FRAME BRACKET

					-	NAME	PASSE	NGER CAR IN	TRUCTION MA	NUAL	
						REF.		DRAWN V	CHECKED	SECT.	SHEET
7-31-56		RELEASED	8502			DATE		PART No.		2	2.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.		5-8-56	3 /	36500		








IDLER LEVER SUPPORT


12-11-56	4	WAS 9.00±.06	6434		F	NAME D	SSENGER CAR	INSTRUCTION	MANUA	ı
	3	WAS 3732077		V	F					-
	2	(CKD BLOOMFIELD) ADDED				REF.	DRAWN	CHECKED	SECT.	SHEET
8-25-56	1	(CKD BLOOMFIELD) REMOVED	3312			1	V	F		200
7-31-56	:	RELEASED	8502			DATE	PART No.		1 %	3.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.	5-8-56	3 7	36500		




MODELS 4 DOOR SPORT SEDAN

NO. 3 OUTER BODY BRACKET


						NAME PAS	SENGER CAR INSTRUCTION M	ANUAL	
						REF.	DRAWN CHECKED F	SECT.	SHEET
7-31-56		RELEASED	8502			DATE 5-8-56	PART No. 3736500	Z	4.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.	3-0-50			





VIEW A

ALL EXCEPT CKD BLOOMFIELD




VIEW B
CKD BLOOMFIELD

MODELS SPORT COUPE


NO. 3-A BODY BRACKET

						NAME DAG	SENGED CAD	INSTRUCTION A	ABULAI	
					I			MASTROCITOR A	ANUAL	
					1	REF.	DRAWN	CHECKED	SECT.	SHEET
					<u> </u>	1	V	F		
7-31-58		RELEASED	8502			DATE	PART No.		19	5.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	Œ.	5-8-56	3 7	36500] ~]	J.00



FRONT CROSS MEMBER


						NAME P	ASSENGER CA	R INSTRUCTION	MANU	AL
					Ш	REF.	DRAWN	CHECKED	SECT.	SHEET
							V	F	0	400
7-31-56		RELEASED	8502		<u> </u>		PART No.		Z	6.00
	SYM.	REVISION RECORD	AUTH.	DR.	CX.	6-13-56	3 7	36500		



CROSS MEMBER BRACE & RADIATOR SUPPORT

MODELS
ALL
CKD BLOOMFIELD


						NAME P	ASSENGER CAR	INSTRUCTION	MANUA	L
						REF.	DRAWN	CHECKED	SECT.	SHEET
7-31-56		RELEASED	8502		_	DATE	PART No.	F	9	7.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.			36500	_	7.00



BRAKE HOSE BRACKET & REAR CROSS MEMBER

MODELS
ALL
CKD BLOOMFIELD


						NAME	PASSEN	GER CAR	INST	RUCTION M	AN	NUAL	
						REF.		DRAWN		CHECKED		SECT.	SHEET
			0500					242714	V	<u> </u>	F	0	8.00
7-31-56		RELEASED	8502	~		DATE	5-9-56	PART No.	3 7	36500		_	6.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	G.		2-8-30					1	



MODELS ALL CKD BLOOMFIELD

ENGINE REAR MOUNTING FRAME BRACKET


				NAME	DASSE	NGED CAL	D INC	TRUCTION		MILAI	· - · · · ·
				 			K 1143				SHEET
7-31-56 KELEASED B502 DATE DATE		200		<u> </u>			v		F		
DATE SYM. REVISION RECORD AUTH. DR. CK. 5-9-56 3736500	SYM.	4	DR.	DATE 5		PART No.	3 7	36500		Z	9.00



MODELS
ALL
CKD BLOOMFIELD

NO. 1 & NO. 2 BODY BRACKET


NU. I a	INC	, Z BODI DRACKLI								
						NAME	PASSENGER C	AR INSTRUCTIO	N MAN	JAL
			+	-	-	REF.	DRAWN	CHECKED	SECT.	SHEET
							V	F	0	10.00
7-31-56		RELEASED	8502		<u> </u>	DATE	PART No.		_	10.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CX.	5-10-56		736500	<u> </u>	



NO. 3 INNER & OUTER BODY BRACKET

ALL CKD BLOOMFIELD


						NAME P	ASSENGER CA	R INSTRUCTION	MANUA	AL .
				_	<u> </u>	L	DRAWN	CHECKED	SECT,	SHEET
							v	F	0	11.00
7-31-56		RELEASED	8502			DATE	PART No.		Z	11.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.	5-10-56	37	36500		



MODELS
ALL
CKD BLOOMFIELD

NO. 4 & NO. 5 INNER BODY BRACKET


					ļ	NAME PASS	ENGER CAR IN	ISTRUCTION M	ANUAL	
						REF.	DRAWN	CHECKED	SECT.	SHEET
- 44 64		RELEASED	8502		-	DATE	PART No.	<u> </u>	2	12.00
7-31-56 DATE	SYM.	REVISION RECORD		DR.	OK.			36500		



NO. 5 & NO. 5A BODY BRACKET

MODELS
9 PASSENGER
STATION WAGON
CKD BLOOMFIELD


L						NAME	ASSENGER CA	R INSTRUCTION	MANI	AI
						REF.	DRAWN	CHECKED	SECT.	SHEET
							v	F	0	42.00
7-31-56		RELEASED	8502				PART No.	724500	Z	13.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.	5-10-56	,	736500		!



ALL
CKD BLOOMFIELD

REAR SPRING HANGER


						NAME PASSE	NGER CAR IN	STRUCTION MA	NUAL	
						REF.	DRAWN	CHECKED	SECT.	SHEET
1-2-57	1	REDRAWN & REVISED			F		V		0	44 00
7-31-56		RELEASED	8502		L	DATE	PART No.		Z	14.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	α.	5-10-56	3 /	736500	1	




BRAKE HOSE BRACKET & BRAKE CABLE GUIDE

ALL CKD BLOOMFIELD

						NAME P	SSENGER CAR	INSTRUCTION	ON	MANUA	.1
									~.,		
		•				REF.	DRAWN	CHECKED		SECT.	SHEET
							v	i	F		4
7-31-56		RELEASED	8502			DATE	PART No.			2	15.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.	5-10-56		36500		-	







CKD BLOOMFIELD


MODELS ALL

MUFFLER TAIL PIPE BRACKET

						NAME PASSENGER CAR INSTRUCTION MANUAL					
			<u> </u>			REF.	DRAWN	CHECKED	SECT.	SHEET	
7-31-56		RELEASED	8502			DATE	PART No.	2724500	−2	16.00	
	SYM.	REVISION RECORD	AUTH.	DR.	CX.	5-10-56		3736500	<u> </u>		









UPPER & LOWER CONTROL ARM

						NAME PA	SSENGER CAR	INSTRUCTION	MANUA	L
						REF.	DRAWN	CHECKED	SECT.	SHEET
7-31-56		RELEASED	8502		<u> </u>	DATE	PART No.	F	3	2.00
	SYM.	REVISION RECORD		DR.	CK.		37	36500		2.00





FRONT VIEW

☐ DIMENSION WITH VEHICLE UNDER ACTUAL DESIGN LOAD CONDITION (5-150 LB PASSENGERS, 2 FRONT & 3 REAR SEAT)

△ DIMENSION WITH VEHICLE UNDER ACTUAL CURB LOAD CONDITION (NO PASSENGERS, BUT INCLUDING OIL, WATER & A FULL TANK OF GASOLINE OR EQUIV.

DESIGN LOAD

CURB WEIGHT

TOE-IN PER WHEEL	CAMBER ANGLE	CASTER ANGLE	FRONT HEIGHT	REAR HEIGHT		
0 TO -1/16	+38'±30' *	+2 ^O 15'±30' #	** 9.41	## 3.71		
1/16 TO 1/8	+30'±30'	+1°±30°	# 10.49	# 5.97		
			1			

* RIGHT AND LEFT SIDES EQUAL WITHIN 15'.

THESE DIMENSIONS ARE THEORETICAL AND ARE FOR REFERENCE ONLY, NOT TO BE USED FOR CHECKING WHEEL ALIGNMENT

MODELS

FRONT SUSPENSION GEOMETRY


						NAME PASSENGER CAR INSTRUCTION MANUAL						
	<u> </u>	<u> </u>				REF.	DRAWN	CHECKED	SECT.	SHEET		
1-28-57	1	FRONT HEIGHT DIM'S, REV'D.			F		V	F	_	2 22		
7-31-56		RELEASED	8502		L	DATE	PART No.		3	3.00		
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.	4-24-56	37	36500				

MODELS	1502	1503	1508	1512	1529	2102	2103	2109	2113	2119	2124	2129	2154	2402	2403	2409	T 222	T	1 2427	1
L-6 ENGINE				* *****					1	1			1	1 200	2403	2409	2413	2429	2434	2454
L-6 3-SPEED	0.	0.	L.G.	0.	0.	0.	0.	0.	0.	0.	o.	T	T	T .	1	1				
L-6 OVERDRIVE	0.	О.	L.G.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0,	0.	0,	D.B.	0.
L-8 AUTOMATIC	D.B.	D.B.	L.G.	D.B.	D.B.	D.B.	D.B.	D,B,	D.B.	D.B.	D,B,	D,B,	0.	0,	0,	0.	0.	0.	D.B.	0.
V-8 ENGINE R.P.	0. 221	223						1	1		2,15.	D.D.	D,B,	D.B.	D.B.	D.B.	D.B.	D.B.	W.	D.B.
V-8 3-SPEED	0.	0.	L.G.	0,	0.	O.	0,	O.	0.	O.		Τ.	T	T -			T			, , , , , , , , , , , , , , , , , , ,
V-8 OVERDRIVE	0.	o.	L.G.	0.	0.	0.	0.	0.	0.	0.	0.	0,	0.	0.	0.	0,	0.	0.	D.B.	0.
V-8 AUTO. (TYPE A)	D.B.	D.B.	L.G.	D.B.	D.B.	D.B.	D.B.	D.B.	D.B.	D.B.	D.B.	0.	0.	0.	0.	0.	0,	0.	D.B.	0.
V-8 AUTO. (TYPE B)	0.	О.	L.G.	0.	0.	0.	0.	0.	0.	0,	· · · · · · · · · · · · · · · · · · ·	D.B.	D.B.	D.B.	D.B.	D.B.	D.B.	D.B.	w.	D,B.
AIR CONDITIONIN	G F.O.A	. 110		1		1				1 0.	0.	О.	0.	0.	0.	0.	0.	0.	D.B.	0.
V-8 AUTO. (TYPE A)	Y.	Y.	D.G.	Y.	Y.	Υ,	Y,	Y.	Υ.		v	Τ	T		<u> </u>	T				
V-8 AUTO. (TYPE B)	D.G.	D.G.	D.G.	D.G.	D.G.	D.G.	D.G.	D.G.	D,G.	Y.	Y.	Y.	Y.	Y.	¥.	Y.	Y,	Y.	Y.	Y.
HEAVY DUTY SPE	ING R.	P.O. 25	3				1 -101	1 2.0.	2,0.	D.G.	D.G.	D.G.	D.G.	D,G.	D,G,	D.G.	D,G,	D.G.	D.G.	D.G.
L-6 3-SPEED	P.	P.	Þ,	P.	P.	P.	P.	P.	P.	P,	-	1 _		·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·				
V-8 3-SPEED	P.	P.	P.	P.	P.	P.	P.	P.	P.		P.	P	P.	P.	P.	P.	P.	P.	D.G.	P.
L-6 OVERDRIVE	P.	P.	P.	P.	P.	P.	P	P.		P,	P.	P.	P.	P.	P.	P.	P.	P.	D.G.	Р.
V-8 OVERDRIVE	P.	P.	P.	P.	P.	P.	P.	P.	P.	P.	P.	P.	P.	P.	P.	P.	P.	P.	D.G.	P.
L-6 AUTOMATIC	D.G.	D.G.	P.	D.G.	D.G.	D.G.	D.G.	D.G.	P. D.G.	P. D.G.	P. D.G.	P.	P.	P.	Р.	P.	P.	P,	D.G,	P.
V-8 AUTO, (TYPE A)	D.G.	D.G.	P.	D.G.	D.G.	D.G.	D.G.	D.G.	D.G.		-	D.G.	D.G.	D.G.	D.G.	D,G,	D.G.	D.G.	D.G.	D.G.
V-8 AUTO. (TYPE B)	P.	P.	P.	P.	P.	P.	P.	P,	P.	D.G.	D.G. P.	D.G.	D.G.	D.G.	D.G.	D.G.	D.G.	D.G.	D.G.	D.G.
TAXI CAB R.P.O.	330	·						1	**		F+	P.	P.	P.	P.	P,	P.	P.	D.G.	P. (
L-6 J-SPEED	****	P.	****				P.			·		r		-						
V-8 3-SPEED		P.		+			P.		****										**	
L-6 AUTOMATIC		D.G.	****				D.G.						****		4444		****			
V-8 AUTO, (TYPE A)		D.G.					D.G.								****					
V-6 AUTO, (TYPE B)		P.					P.													
RONT STABILIZE	R L.P.			1	1	1			****								***-	****		(
L-6 J-SPEED	P.	P,		P.	P.	P.	P.	P.			_						,			
V-8 3-SPEED	P.	P.		Р.	P.	ъ.	P.	P.		P.	P.	P.	****	P.	P.	****				
L-4 OVERDRIVE	P.	P.		P.	P.	P,	P.	P.		P.	P.	P.		P.	P.					
V-8 OVERDRIVE	P.	P.		P.						P.	P.	P,	****	P,	P.					
L-6 AUTOMATIC	D.G.	D,G,		D.G.	P. D.G.	P, D.G.	P.	P.		P.	Р.	P.	***	P.	P.				***-	
y-8 AUTOMATIC	D.G.	D.G.		D.G.	D.G.	D.G.	D.G.	D.G.		D.G.	D,G.	D.G.		D.G.	D,G,		2224			
				1 2.0.	D.G.	D.G.	D.G.	D,G,		D.G.	D.G.	D.G.	****	D.G.	D,G,				****	

COLOR	D. GREEN	PINK	L. GREEN	ORANGE	D. BLUE	AELTOM	WHITE
SYMBOL	D.G.	P.	L.G.	O.	D,B,	Y,	w.
PART NO.	3714506	3719736	3721371	3721372	3721373	3722423	3737293


					_	NAME PA	SSENGER CAR	INSTRUCTION	MANUA	
	5	ITEM REVISED			7	REF.	DRAWN	CHICKED	SECT.	SHIRT
3-11-57	4	ITEM REVISED	6698	V		1	v		_	
1-10-57	3	REDRAWN & REVISED	6698	V	F	DATE	PART No.		13	4.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	Œ.	6-18-56	373	6500	"	7.00

FRONT SPRING COLOR CODE CHART



MODELS

						MAME PASSENGER CAR INSTRUCTION MANUAL						
				L	Ц	REF.	DRAWN	CHECKED	SECT.	SHEET		
				L	L	L	Į v	F	4	400		
7-31-56		RELEASED	8502	L			PART No.		4	1.00		
DATE	SYM	REVISION RECORD	AUTH.	DR.	OK.	4-19-56	, ,,	36500				



VIEW B

SEE LUBRICATION CHART


BUMPER, PROPELLER SHAFT & REAR AXLE **MODELS**

ALL

						NAME PASSE	NGER CAR IN	STRUCTION MA	NUAL	
	7	103026 NUT REMOVED			F				·	
	6	103321 LW REMOVED				REF.	DRAWN	CHECKED	SECT.	SHEET
	5	WAS 3712872 BUMPER ASSY.				1	v	F		
11-26-56	4	REDRAWN	3973	V		DATE	PART No.		4	2.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CX.	4-24-56	37	36500	•	

9-11 LBS. FT. 50-60 LBS. FT.


COLO	R CODE CHART	.(1)
MODELS	PART NO	COLOR
ALL	5536949 1	PLAIN



MODELS ALL


SHOCK ABSORBER


						NAME PASSENGER CAR INSTRUCTION MANUAL							
9-21-56 9-5-56	2	CHART REVISED PART NO. WAS 5394942	4074 3728		WF F	REF.	DRAWN	CHECKED F	SECT.	SHEET			
7-31-56		RELEASED	8502			DATE	PART No.	704100	4	3.00			
DATE	SYM.	REVISION RECORD	AUTH.	DŘ.	CK.	6-18-56		736500					



BUMPER & REAR SPRING


						NAME PA	•			
	2	NOTE RELOCATED TO NUT			F	REF.	DRAWN	CHECKED	SECT.	SHEET
1-16-57	1	PART ADDED	288				v	F		
7-31-56		RELEASED	8502			DATE	PART No.		1 4	4.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.	6-18-56	3	736500		







FRONT BRAKE PIPES

						NAME PASSENGER CAR INSTRUCTION MANUAL				
7-22-57 12-18-56	2	WAS 115187 WAS 3713762	681 137	v	F	REF.	DRAWN V	CHECKED F	SECT.	SHEET
7-31-56	SYM.	RELEASED REVISION RECORD	8502 AUTH.	DR.	CK.		PART No. 3 7	36500	וי	2.00




	<u>'</u>				_	NAME PA	SSENGER CAR	INSTRUCTION	MANUAL	
	\vdash			\vdash		REF.	DEAWN	CHECKED	SECT.	\$1000
8-20-56	.1	VIEW "A" REVISED	1110				Y	F.	_ !	
7-31-56		RELEASED	8503				PART No.		l 5 i	1 OO.E
DATE	SYM	REVISION RECORD	AUTH.	Ħ	ŏ	4-9-58	373	16500		1.00





						NAME PAS				
						REF.	DRAWN V	CHECKED	SECY.	SHEET
7-31-56		RELEASED	8502			DATE	PART No.		6	1.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	Œ.	DATE PART No. 3736500		6500		


10-15 LBS. FT.
40-60 LBS. IN. (2)
20-25 LBS. FT.
32-40 LBS. IN.




SEE LUBRICATION CHART FAN BLADE, BELT, GASOLINE & SPARK CONTROL PIPES

MODELS ALL


						NAME P	ASSENGER CAR	INSTRUCTION	MANUA	
7-25-57 11-5-56	2	WAS 100-125 LBS. IN.	2965		F	REF.	DRAWN	CHECKED	SECT.	SHEET
7-31-58		WAS 3700324 RELEASED	3686 8502		É		PART No.	24500	6	2.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CX.	6-13-56]	36500		






RADIATOR HOSE, FUEL PUMP & DECALCOMANIA

						NAME PA	NAME PASSENGER CAR INSTRUCTION MANUAL					
7-12-57	2	TORQUE ADDED	2433		F	REF.	DRAWN	CHECKED	SECT.	SHEET		
8-20-56	1	VIEW ADDED			F		v	F	4	2.00		
7-31-56		RELEASED	8502			DATE	PART No.		10	3.00		
DATE	SYM.	REVISION RECORD	AUTH.	CR.	CK.	4-14-56	37	36500				



AIR CLEANER, CARBURETOR & CHOKE PIPE

7-25-57	11	WAS 100-125 LBS. /N.	2965		F	NAME PA	SSENGER CAR	INSTRUCTION	MANUA	L
	9	WAS 103026			F					
	ቃ	WAS 103339				REF.	DRAWN	CHECKED	SECT.	SHIRET
	Ø	WAS 103127					V	<u> </u>		400
7-12-57	٠.	REDRAWN	461			DATE	PART No.		10	4.00
DATE	SYML	REVISION RECORD	AUTH.	DR.	CX.	4-16-56	37	36500	l	




STARTING MOTOR & CRANKCASE VENTILATOR


NAME PASSENGER CAR INSTRUCTION MANUAL 4657 F WAS 114496 CHECKED SECT. SHEET DRAWN **#** 106972 BOLT WITH 103319 LW OPTION REMOVED 5.00 6 5290 REDRAWN DATE PART No. 11-5-56 3736500 5-14-56 AUTH. DR. CK. REVISION RECORD SYM. DATE

MODELS ALL

	235.5 cu. in. 6 Cyl. Engine	265 cu. in. 8 Cyl. Engine	283 cu. in. 8 Cyl. Engine
	PISTONS, PINS AND	RINGS (Cont.)	
Compression Rings	,		
Type	Twist	Twist	Twist
Number	2	2	2
Material	Cast Iron	Cast Iron—Top Ring Chrome Flashed	Cast Iron—Top Ring Chrome Flashed
Width	.0930"035"	.077"078"	.077"078"
Width		.009"018"	.009"018"
Gap Clearance	001"020	.0012"0032"	.0012"0032"
Oil Control Ring	.001000	.00120002	.0012 10002
	Steel	Steel	Steel
Material	2 Chrome Plated Rails, Spacer	2 Chrome Plated Rails, Spacer	2 Chrome Plated Rails, Spacer
Type Width	.181"188"	.181"188"	.181"188"
Gap Clearance	and the same of th	.005"015" (On Rails)	.005"015" (On Rails)
Ring Clearance in Groove	.000"008"	.0006"0084"	.0006"0084"
Expander Type	Segmented Steel	Segmented Steel	Segmented Steel
Expander Type		_	nog
-	CYLINDER HEAD A	ND VALVES	
Head	O . A.D. T	Cont. Allow Trees	Cook Allow Inon
Material	Cast Alloy Iron	Cast Alloy Iron	Cast Alloy Iron
Bolt Torque	90-95 ft. lbs. (Oiled Threads)	60-70 ft. lbs. (Oiled Threads)	60-70 ft. lbs. (Oiled Threads)
Valve Rocker Cover	OF 6: 11. (3.5	or a the (Manimum)	25 ft. lbs. (Maximum)
Nut Torque	25 ft. lbs. (Maximum)	25 ft. lbs. (Maximum)	25 It. Ibs. (Maximum)
Inlet Valves	021 -1	Cilebrane on Mieles Chromo	Silchrome or Nickel Chrome
Material	Silchrome or Nickel Chrome	Silchrome or Nickel Chrome	Steel Steel
77 1 T7 A 1	Steel	Steel	44°
Valve Face Angle	29°	44° 1.700″	1.720"
Dia. Head	17/8"	1.720"	4.902"-4.922"
Length	0.304"-0.394"	4.902"-4.922"	.3415"3422"
Stem Dia	.3410"3417" Name (TI-decalie)	.3415"3422" None (Hydroulie)	None (Hydraulic)
Valve Lash, Hot	None (flydraulic)	None (Hydraulic)	Notic (Hydraunc)
Exhaust Valves			
Material	Cilebrame VD	XCR Steel	XCR Steel
Conventional	Silchrome AD Steel	XCR Steel	XCR Steel
Automatic Transmission		44°	44°
Valve Face Angle	11/#	11/2"	11/2"
Dia. Head	11/2"	4.913"-4.933"	4.913"-4.933"
Length	.3410"3417"	.3410"3417"	.3410"3417"
Stem Diameter		None (Hydraulic)	None (Hydraulic)
	Mone (Hydraune)	Monte (Hydraune)	+10mb (and mount)
Valve Stem Guides			
Clearance	.001"0027"	.001"0027"	.001"0027"
Inlet Exhaust		.0015"0032"	.0015"0032"
PARaust,	,VVIVV#+	10020 10000	


	235.5 cu. in. 6 Cyl. Engine	265 cu. in. 8 Cyl. Engine	283 cu. in. 8 Cyl. Engine
	CYLINDER HEAD AND	VALVES (Cont.)	
Oversize Valve Stems	None	.003"015"030"	.003"015"030"
Ream Inlet Exhaust	.3427"3437" .3427"3437"	.3432"3442" .3432"3442"	.3432"3442" .3432"3442"
Extend Above Head Inlet Exhaust	1.000"-1.015" .935"950"	No Replaceable Guides	No Replaceable Guides
Length Inlet Exhaust Valve Seats	3.335" 2.430"	No Replaceable Guides	No Replaceable Guides
Angle Inlet Exhaust Dia. Cutter	30° 45°	45° 45°	45° 45°
Inlet Exhaust Width in Head	1.978"-1.998" 1.5525"-1.5725"	1.770"-1.790" 1.550"-1.570"	1.770"-1.790" 1.550"-1.570"
Inlet Exhaust Valve Springs	.035"060" .062"093"	.035"060" .062"093"	.035"060" .062"093"
Free Length Conventional Automatic Lbs. Pressure at Valve	213/64"	2.03" 2.03"	2.03" 2.03"
Open Length	194-210 los. at 12%4"	71-79 lbs. at 1^{49}_{64} " 71-79 lbs. at 1^{45}_{64} " 1^{11}_{16} "- 1^{47}_{64} "	71-79 lbs. at $1^{45}_{64}''$ 71-79 lbs. at $1^{45}_{64}''$ $1^{11}_{16}''$ - $1^{47}_{64}''$
	ENGINE LUBRI	ICATION	
Type	Full Pressure	Full Pressure	Full Pressure
	OIL PUA	ΛP	
Type Pressure	Spur Gear 30 PSI @ 1170-1200 RPM	Spur Gear 30 PSI @ 1170-1200 RPM	Spur Gear 30 PSI @ 1170-1200 RPM
	CLUTCH HOUSING	PILOT HOLE	
Runout	.008" Maximum	.008" Maximum	.008" Maximum
	FLYWHE	EL	
Runout	.008" Maximum	.008" Maximum	.008" Maximum






ENGINE FRONT MOUNTING & GENERATOR

	7	WAS 100121		L	F	NAME PA	SSENGER CAR	INSTRUCTION	MANUA	ì.
	6	WAS 446362							SECT.	SHEET
	5	WAS 117212				REF.	DRAWN	CHECKED	Jaccii.	SINCE
	4	WAS 451010		<u> </u>			V	F	2	4.00
7-12-57	3	REDRAWN	681	P			PART No.		0	6.00
DATE	SYM.	REVISION RECORD	AUTH,	DR.	CK.	5-10-56	37	36500		_



ENGINE REAR MOUNTING


		WAS ALL MODELS			F	NAME PASSENGER CAR INSTRUCTION MANUAL					
	3_2	PART & MODEL ADDED WAS ALL MODELS				REF.	DRAWN	CHECKED	SECT.	SHEET	
10-11-56		PART & MODEL ADDED	4563				V	F	6	7.00	
7-31-56		RELEASED	8502	<u> </u>		DATE	PART No.		•	7.00	
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.	5-10-56	373	6500			




SEE LUBRICATION CHART CLUTCH RELEASE BEARING

MODELS ALL

					_	NAME PA	SSENGER CAR	INSTRUCTION	MANUA	L
						REF.	DRANN V	CHECKED	SECT.	SHEET
9-25-56	1	REDRAWN AND REVISED	4087	٧	WF	DATE	PART No.	· · · · · · · · · · · · · · · · · · ·	6	8.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.	1		36500		






m	LU	BRICATE	A8	SPECIFIEI N CHART	
بيا	IN	LUBRICA	TIO	N CHART	


TO 1 INCH AT PEDAL.

CLUTCH UNKAGE

		VIEW REMOVED		F		NAME PA	SSENGER CAR	INSTRUCTION	MANUAL	
2-20-57	10	PART ADDED 3738138 REMOVED	7389			REF.	DRAWN	CHECKED	SECT.	SHEET
11-15-56		WAS 3726093 REDRAWN	4815	-	F	DATE	PART No.	F	6	9.00
	SYM.	REVISION RECORD		OR.	Œ.	5-29-56	373	16500		


CLUTCH HOUSING







CLUTCH PEDAL ADJUSTMENT INSTRUCTION

- LOCATE CLUTCH PEDAL BY ADJUSTING CLUTCH PEDAL BUMPER BRACKET (C) UNTIL PEDAL PAD IS AT SAME HEIGHT AS BRAKE PEDAL.
- ADJUST PULL BACK SPRING INSTALLED ADJUST PULL BACK SPRING LEVER (D) UNTIL AN \$ LB. LOAD IS REQUIRED TO PUBL PEDAL OF BUMPER.
- 3. ADJUST SWIVEL (A) ON ROD (B) TO AL-LOW 3/4 TO 1 INCH FREE TRAVEL OF PEDAL REPORE CLUTCH BEGINS TO RELEASE.








MODELS ALL R.D.

						NAME	PASSENGER CAR	INSTRUCTION	MANUA	<u> </u>
7-17-57	-	WAS 3710114	9576	١.		15		СНЕСКИО	SECT.	\$4667
	8	NO. ADDED	74.0	 €	1		P	,	-	
3-15-57	7	REDRAWN				DAYE	PART No.		16	10.00
DATE	SYM.	REVISION RECORD	AUTH	DR.	Œ.	5-29-	56 373	6500	-	10.00


SEE LUBRICATION CHART

CLUTCH LINKAGE




ACCELERATOR CONTROL

	11	SLEEVE ROTATED 1800	2535	P	F	NAME P	ASSENGER CAR	INSTRUCTION	MANUA	L
	10	WAS 103373			 	REF.	DRAWN	CHECKED	SECT.	SHEET
<u> </u>	9	WAS 106321, 103339 103319, 114378	 	-	╁	-	P	F	2	44 00
7-17-57	8	REDRAWN	681			DATE	PART No.		0	11.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK	5-7-56	37	36500		








TRANSMISSION


			T			NAME	PA	SSENGER CAR	INSTRUCTION	MANUA	L
					-	REF.		DRAWN V	CHECKED F	SECT.	SHEET
7-31-56		RELEASED	8502			DATE		PART No.	4.500	/	1.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.	6-1	14-56	3/3	36500		




T CENTRIORA FRANK T CENTRIORA FRANK TVP

	20	PART ADDED	·-·	. c.	3	HAW		ecountre.	CAL HISTORY		
\vdash	39 36	WAS SOITES KOOD REMOVED		<u> </u>	<u> </u>	· D.		DELLAN	(GROSS)	19CL	SHEET
Table Del	15	WAS 771(33)							ν	£	0.00
DATE	STIM	MANAGE SECOND	AUDA:	DE.	₽.	DAM	diagrise	MAN NO.	3734500	1'	2.00

WODERS







MODELS ALL RD

--- 3702146 SEAL (1)


3-15-57		WAS 264831 SEAT	456			NAME	PA	SSENGER CAR	INSTRUCTION	MANUA	L
1-10-57	8	3695016 & NOTE REMOVED	5892		F	RSF.		DRAWN	ORCORD	SECT.	SHEET
12-11-56	- 7	WAS 5671600 NOTE ADDED	307.		Ť	1		V		E 7	200
11-15-56	5	REDRAWN	1656			DATE		PART No.	14 * 00	7 /	3.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	Œ.	1	6-9-56	37	36500		



			T			NAME PA	SENGER CAR	INSTRUCTION	MANUA	
	5	NOTE REVISED	3651	1	F					
	2	NOTE REVISED	6396			REF.	DRAWN	CHECKED	SECT.	34621
1-7-57	1	NOTE REVISED	5553	V	1	1	V	F	-	4 00
7-31-56		RELEASED	8502			DATE	PART No.		1 7 1	4.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CX.	7-6-56	373	36500		




						<u> </u>		INSTRUCTION		
		**************************************				RSF.	DEAWN	CHECKED	SBCT.	
7-31-56		RELEASED	2502		Ī.,	DATE	PART No.			3.W
DATE	SYM.	REVISION RECORD	AUTH	De.	Œ	5-31-56	37	14500		



TRANSMISSION CONTROL LINKAGE & MOUNTING

	4	WAS 103340			F	NAME	PASSE	NGED CAD	INSTRUCTION		ADIAI	
	3	WAS 103320					1 7331	NOER CAR	MATROCHON	: MA	MUAL	
7-12-57	2	WAS 114493	681	P		REF.		DRAWN	CHECKED		SECT.	SHEET
3-25-57	1	WAS 3736749	280	V	F	1			P	F		
7-31-56		RELEASED	8502			DATE		PART No.			1 7	6.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.		4-16-56		736500] -	




ADJUSTMENT SEE SHEET 6.00

SEE LUBRICATION CHART

ALL RD

GEARSHIFT LINKAGE & MOUNTING

						NAM	PΔ	SSENGER CAR	INSTRUCTION	MANUA	L
7-12-57	4	WAS 103320	681	P	F						
3-25-57	3	WAS 3736754	280	V	F	REF.		DRAWN	CHECKED	SECT.	SHEET
1-16-57	2	WAS 3737628	227		F	1		P	F	7	7.00
9-5-56	1	REDRAWN & REVISED		V	F	DATE		PART No.		,	7.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK		5-18-56	37	36500		




SEE LUBRICATION CHART

MODELS ALL RD


GEARSHIFT LINKAGE


						NAME PASSE	NGER CAR IN	STRUCTION M	AMUAI	
						1 7340	HOCK CAR IN	SIRUCIION MI	MUME	
	2	WAS 103026	1		F	REF.	DRAWN	CHECKED	SECT.	SHEET
10-11-56	1	WAS 100029	3729				P	F	I _	
7-31-56		RELEASED	8502			DATE	PART No		17	8.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.	6-20-56		6500	-	0.00



GEARSHIFT LEVER POSITION


	·					NAM	PA	SSENGER CAR	INSTRUCTION	MANUA	
						REF.		DRAWN V	CHECKED	SECT.	SHEET
7-31-56		RELEASED	8502			DATE		PART No.		7	9.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.	·	6-20-56	37	36500		






MODELS STATION WAGON & SEDAN DELIVERY

						NAME PA	SSENGER CAR INSTRUCTION	MANUA	
						REF.	DRAWN CHECKED	SECT.	SHEET
8-20-56	1	VIEW REVISED	2310		F		Pl	ه ا	0.00
7-31-58		RELEASED	8502			DATE	PART No.	70	2.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CX.	6-18-56	3736500		







SEE LUBRICATION CHART


MODELS AS SHOWN


CLAMPS, STRAPS & PLUGS


11-26-56	4	WAS 122017 - BOLT	6040		F	NAME PA	SSENGER CAR	INSTRUCTION	MANUA	ι,
	3	WAS 105320			F					
	2	NO. ADDED		L		REF.	DRAWN	CHECKED	SECT.	SHEET
8-20-56	1	446771 OPTION ADDED	5515			1	P	F	0	400
7-31-56		RELEASED	8502			DATE	PART No.		0	4.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.	6-5-56	37	36500		















MODELS CONVERTIBLE

						NAME PA	SSENGER CA	AR	INSTRUCTION	AUHAM	L
						NF.	DRAWN		CHECKED	SOCT.	9487
7-22-57	1	REDRAWN & REVISED	730	P	7	CATE	PART No.		F	8	6.00
DATE	SYM.	REVISION RECORD	AUTH.	Dit	œ	-	3	73	4500		


A 3671946 NUT

VIW A




GASOLINE FILLER NECK EXTENSION, HOUSING & DOOR INSTALLATION

						NAME	PΔ	SSENGER CAR	INSTRUCTION	MANUA	L
						<u></u>					
1-28-57	7	WAS 161895	346		F	REF.		DRAWN	CHECKED	SECT.	SHEET
	6	WAS 3734884			F	1		v	F		7 00
12-18-56	5	REDRAWN	216			DATE		PART No.		ן א	7.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.		6-8-56		36500		




STEERING MECHANISM

						NAME PA	SSENGER CAR	INSTRUCTION	MANUA	L
						REF.	DRAWN	CHECKED	SECT.	SHIET
8-20-56	1	TITLE REVISED	2695		F		P	F		400
7-31-56		RELEASED	8502			DATE	PART No.		ן א	1.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CX.	5-17-56	37	36500		



STEERING LINKAGE

TORQUE ADDED T NAME 8484 2-27-57 PASSENGER CAR INSTRUCTION MANUAL 2-20-57 WAS 45 LBS. FT. MIN. 7586 F REF. DRAWN SHEET WAS 3707754 CHECKED SECT. 11-5-56 5241 9-21-56 TORQUE ADDED WF P 9 2.00 7-31-56 RELEASED 8502 PART No. DATE 3736500 DR. 5-18-56 SYM Œ. DATE **REVISION RECORD** AUTH.




SEE LUBRICATION CHART

MODELS ALL


STEERING GEAR


						NAME PAS	SENGER CAR	INSTRUCTION M	ANUAL	
						REF.	DRAWN	CHECKED	SECT.	SHEET
	6	WAS 35-40 LBS.			F			P F		200
4-9-57	5	REDRAWN	9408			DATE	PART No.		Y	3.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.	5-18-5 6	37.	36500		




STEERING WHEEL

						NAME PA	SSENGER CAR	INSTRUCTION	MANUA	L
	3	WAS ALL MODELS	1	<u> L</u>	F	REF.	DRAWN	CHECKED	SECT.	SHEET
10-11-56	2	PART & MODEL ADDED	3257				P	F		400
8-20-56	1	REDRAWN & REVICED	2532	V	F	DATE	PART No.		א ו	4.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.	5-28-56	37	36500		








STEERING COLUMN & CLUTCH ROD DASH SEAL

					_	NAME	PA	SSENGER CAR	INSTRUCTION	MANUA	
						REF.		DRAWN	CHECKED	SECT.	SHEET
7-31-56		RELEASED	8502			DATE		PART No.		9	6.00
DATE	SYM.	REVISION RECORD	AUTH	DR.	CK.		5-28-56		36500	Ů	




ALL TIRES OF SAME SIZE AND PLY RATING FURNISHED WITH ANY VEHICLE SHALL BE OF SAME MAKE.


MODELS ALL

SEE LUBRICATION CHART

WHEELS & TIRES


						NAME PA	SSENGER CAR	INSTRUCTION	MANUA	
	3	NOTE REMOVED	4459		F			T		24 1555
10-11-56	2	WAS 45-65 LBS. FT.	5044			REF.	DRAWN	CHECKED	SECT.	SHEET
8-20-56	1	3739870 OPTION ADDED	2339		F]	v	F	40	4 00
7-31-56		RELEASED	8502			DATE	PART No.		10	1.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.	6-18-56	373	6500		





SEALS & PROTECTIVE COATING


JEALS (NAME	PA:	SENGER	CAR	INSTRUCTIO	N MANU	AL
1-28-57	3	STAPLE OPT. ADDED	7141		F	REF.	1	DRAWN		CHECKED	SECT.	SHEET
	2	STAPLE OPT. ADDED	3865		F		ľ		v		F 44	0.00
8-20-56	1	WAS 3732521	3045								- 11	2.00
7-31-56		RELEASED	8502			DATE		PART No.	37	36500	1	
DATE	SYM.		AUTH.	DR.	CK.		6-21-56		-			1, , , , , , , , , , , , , , , , , , ,



FENDER TO FENDER SKIRT


& SKIRT FILLER


						NAME PA	SSENGER CAR	INSTRUCTION	MANUA	L
		PART ADDED			F	RSF.	DRAWN V	CHECKED	SECT.	SHEET
3-25-57	5	REDRAWN	349			DATE	PART No.		ן זון	3.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CX.	6-18-56	37	36500		



BAFFLE & SHIELD


						N	NAME PASSENGER CAR INSTRUCTION MANUAL				
			 	-	╂╌	12	ŧ.	DRAWN	CHECKED	SECT.	SHEET
2-20-57	1	WAS 273573 OR 3730909 OPT.	7737	V	×			v	F	44	400
7-31-56		RELEASED	8502			D/	TE	PART No.	- · · ·		4.00
DATE	SYM.	REVISION RECORD	AUTH	DR.	ax		4-25-56	37	36500		





FENDER TO DASH

						NAME PASSENGER CAR INSTRUCTION MANUAL						
						ROF.	ORAWN - CHECKED	SECT.	SHORT			
3-15-57	10	WAS 122138 BOLT	8606			_,,,,	PART No. 3736500	11	5.00			
	SYM	REVISION RECORD	AUTH.	DR.	CK.	6-18-56						




1

MODELS ALL

FENDER SKIRT TO DASH LEG

3-25-57		WAS 3694364-3695237			F	NAME .	ASSENGER CAR	INSTRUCTION	AAAAMIA	
		OPT. SCREW & PW ASSY.	349				COSESSANDER COSES	INDIKOCIION	MARYA	-
		"ALL EXCEPT CONV." REMV'D			F	RSF.	DRAWN	CHECKED	SOCT.	SHART
12-11-56	1	CONVERTIBLE VIEW REMOVED	4842			1	l v	,		
7-31-56		RELEASED	8502			DATE	PART No.		- 11	6.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.			36500	"	0.00

▲ 15-20 LBS, FT.




3

MODELS ALL


FENDER TO SIDE RAIL

			"ALL EXCEPT CONV." REMY'D			F	NAME	PA	SSENGER CAR	INSTRUCTION	MANUA	
12-1	1-56	3	CONVERTIBLE VIEW REMOVED	4842		L	1		DRAWN	CHECKED	SECT.	SHEET
			PART ADDED			LL	RF.		TORON TO	CHECKED		
9-5	-56	1	(AS REQ'D) WAS (2 MIN-6 MAX.)	2911					<u> </u>		44	7.00
7-3	1-56		RELEASED	8502	L		DATE		PART No.		111	7.00
DA		SYM.	REVISION RECORD	AUTH.	DR.	CX.		5-7-56	37	36500		




FENDER MOULDING

						NAME PA	SSENGER CAR	INSTRUCTION	MANUA	
						REF.	DRAWN	CHECKED	SECT.	SHEET
						ŀ	V	F	44	
10-22-56		REDRAWN AND REVISED 5652	5167	V	F	DATE	PART No.		77	8.00
DATE	SYM	REVISION RECORD	AUTH.	DR.	CX.	6-18-56	37	36500		




HOOD PANEL

					F	NAME PA	SSENGER CAR	INSTRUCTION	MANUA	ι
	6	WAS BOLT 122007, 120214 L. W. & 120393 P. W.			F	REF.	DRAWN	CHECKED	SECT.	SHEET
7-17-57	5	REDRAWN	2342			DATE	PART No.	<u> </u>	11	10.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.	6-20-56		36500	'	




HOOD HINGE

						NAME PA	SSENGER CAR	INSTRUCTION	MANUA	L
						REF.	DRAWN	CHECKED	SECT.	SHEET
	6	VIEW ADDED			F		V	F	44	11.00
2-20-57	5	REDRAWN	6173	V	L	DATE	PART No.	24500		11.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.	6-18-56	37	36500		




HOOD LOCK, NAME PLATE & AIR SCOOP

						NAME DA	SSENGER CAR	INSTRUCTION	MANUA	
5-27-57		WAS 15-20 LBS, IN.			F			MOTROCITOR	WALLEY.	•
	11	TORQUE 4-5 LBS, IN. REMOVED			F	REF.	DRAWN	CHECKED	SECT.	SHEET
	10	WAS 1174584 FOR 2400					v	F	44	40.00
2-27-57	9	REDRAWN	8116			DATE	PART No.		177	12.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.	6-18-56		36500		



SHEET METAL CHECKING


						NAME	PA	SSENGER CAR	INSTRUCTION	MANUA	
						REF.		DRAWN P	CHECKED	SECT.	SHEET
7-31-56		RELEASED	8502			DATE		PART No.		11	13.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.		6-2-56	1	36500		



DATE SYM.

REVISION RECORD


SHEET METAL CHECKING



WIRING DIAGRAM SHEET 27.00 LD


SHEET 28.00 RD

7-17-5	_		POSITIVE CABLE REPOUTED	2213	V	I	NAME PA	SSENGER CAR	INSTRUCTION	MANUAL	Ţ
3-25-5	57	3	POSITIVE CABLE REROUTED	8674	V	ட		DRAWN	CHECKED	SECT.	SHEET
11-5-5	6	2	POSITIVE CABLE REPOUTED	5830		<u>IF</u>	REF.	DEVELO	CHECKER	[~~,]	
B-25-5		1	REDRAWN & REVISED 3335	3176	Y	F		<u>v</u>	<u> </u>	40	400
			3172 3101 3040 2806	1990				PART No.		IZ	1.00
DATE		SYM.	REVISION RECORD	AUTH.	DR.	ΟX.	6-13-56	373	36500		




WIRING

7-17-57	4	POSITIVE CABLE REROUTED	2213	V	F	NAME PASSENGER CAR INSTRUCTION MANUAL	
3-25-57	3	POSITIVE CABLE REROUTED	8674	V	F		
11-5-56	2	POSITIVE CABLE REROUTED	5830		F	REF. DRAWN CHECKED SECT.	SHEET
8-25-56	1	REDRAWN & REVISED	3310	V	F		200
		3140 3101	1497			DATE PART No.	2.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.	7 70 701 2704 700	




1-2-57	7	WAS 3735710	6583			NAME PA	SSENGER CAR	INSTRUCTION	MANUA	L
	6	WAS 121749	4320		F		DRAWN		SECT.	SHEET
	5	WAS ALL MODELS			<u> </u>	REF.	DECEMBED	CHECKED		
	4	PART & MODEL ADDED		L	_		٧	<u> </u>	12	3.00
10-11-56	3	REDRAWN	3257			DATE	PART No.		12	3.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.	5-19-56	37	36500		




MODELS RD

INSTRUMENT CLUSTER


		<u> </u>				NAME P	SSENGER CAR	INSTRUCTION	MANUA	L
						REF.	DRAWN	CHECKED	SECT.	SHEET
7-31-56		RELEASED	8502			DATE	PART No.	<u> </u>	12	4.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.	4-16-56		36500		



C			WAS 131282			F	NAME PA	SSENGER CAR INSTRUCTION	MANUA	
	12-11-56	3	WAS 131282	1633						540
•	11-3-56	2	NOTE ADDED	i		7	Per.	DRAWN CHECKED	SECT.	Section 1
I	9-5-56	1	REDRAWN & REVISED 3335	3172		F	I	v P	40	E 00
I			3101 3040 2806	1990	V		DATE	PART No.	ו או ו	5.00
Ţ	DATE	SYM	REVISION RECORD	AUTH.	DR.	CK.	6-7-56	3736500		




RIGHT DRIVE




IGNITION LOCK

GRITION LOCK				NAM	PA	SSENGER C	AR I	NSTRUCTION	MANUAL	
				REF.		DRAWN		CHECKED	SECT.	SHEET
12-11-56 2 WAS 3736488	6005		F				V	<u> </u>	19	7.00
8-25-56 1 REDRAWN & REVISION RECORD	3101 AUTH	DR.	_	DATE	5-24-56	PART No.	7 3	6500		,




RIGHT DRIVE



IGNITION LOCK

GRITION LOCK				NAM	PA	SSENGER C	AR I	NSTRUCTION	MANUAL	
				REF.		DRAWN		CHECKED	SECT.	SHEET
12-11-56 2 WAS 3736488	6005		F				V	<u> </u>	19	7.00
8-25-56 1 REDRAWN & REVISION RECORD	3101 AUTH	DR.	_	DATE	5-24-56	PART No.	7 3	6500		,




LEFT DRIVE


MODELS ALL

LIGHT SWITCH

						NAME	PA	SSENGER CAR	INSTRUCTION	MANUA	L
	<u> </u>	<u> </u>	 			REF.		DRAWN	CHECKED	SECT.	SHEET
8-25-56	2	ROTATED 1800	3101		F			v	F	10	0.00
8-5-56	1	REDRAWN & REVISED	3502		F	DATE	•	PART No.		IZ	8.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.		5-8-56		36500		








LEFT DRIVE

MODELS 2100-2400


CIGARETTE LIGHTER

						NAME PA	SSENGER CAR	INSTRUCTION	MANUA	Ļ
						REF.	DRAWN P	CHECKED	SECT.	SHEET
1-28-57	5	REDRAWN & REVISED	226		F		PART No.		12	9.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CX.	6-12-56	37.	36500		




CLOCK & BEZEL

						NAME (ASSENGER CA	R INSTRUCTION	MANU	AL
					<u> </u>	REF.	DRAWN	CHECKED	SECT.	SHEET
							v	F		
7-31-56		RELEASED	8502			DATE	PART No.		12	10.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.	6-13-56	37	36500		




GLOVE BOX LIGHT

						NAME PA	SSENGER CAR	INSTRUCTION	MANUA	L
		<u> </u>	 	-		REF.	DRAWN	CHECKED	SECT.	SHEET
8-25-56	,	REDRAWN & REVISED	3310	v	F	DATE	PART No.	F	12	11.00
	SYM.		AUTH.	DR.		0 7 50	37	36500		



STOP LAMP SWITCH


						NAME D	SSENGER CAR	INSTRUCTION	MANUA	1
6-11-57	8	TOLERANCE ADDED	1928		F	<u> </u>				
5-13-57	7	PART ADDED	625	V	F]ref.	DRAWN	CHECKED	SECT.	SHEET
	6	WAS 3715248-3713382 OPT.	1		F	1	l v	F	40	40.00
4-2-57	5	REDRAWN	1888	V		DATE	PART No.		1 12	12.00
DATE	SYM	REVISION RECORD	AUTH.	DR.	CK.	5-1-56		36500		



SEE LUBRICATION CHART


BATTERY, SUPPORT & CABLES


	9	WAS 103341 P.W., 103321 L.W.,		V	F	NAME PA	SSENGER CAR	INSTRUCTION	MANUA	L
		& 106329 BOLT	681			<u></u>				SHEET
	8	VIEW " A" REVISED			Ī	REF.	DRAWN	CHECKED	SECT.	3775
	7	CABLE REROUTED				1	٧	F	10	13.00
7-17-57	6	REDRAWN	2213				PART No.		IZ	13.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.	5-30-56	37	36500		



DIMMER SWITCH


						NAME DA	SSENGER CAR	INSTRUCTION	MANUA	<u> </u>
	3	HARNESS REROUTED	5920		F					
11-5-56	2	106972 BOLT WITH 103319 LW				REF.	DRAWN	CHECKED	SECT.	SHEET
		OPTION REMOVED	5290				P	F	40	4400
8-25-56	1	REDRAWN & REVISED	3310	٧	F	DATE	PART No.		12	14.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.	6-7-56		36500		






RESISTOR, OIL PRESSURE SWITCH & THERMO GAUGE

		<u> </u>				NAME	PA	SSENGER CAR	INSTRUCTION	MANUA	
4-9-57		PART ADDED	609	V		REF.			CHECKED	SECT.	SHEET
12-18-56	2	NO. 1513130 REMOVED		Ĺ	F			V	ľ	40	45.00
8-25-56	1	REDRAWN & REVISED	3101	V	F	DATE		PART No.] Z	15.00
DATE	SYM	REVISION RECORD	AUTH.	DR.	CX.		5-8-56	37	36500		



STARTER MOTOR, COIL & SPARK PLUG WIRING


						NAME	PASSENGER CAR INSTRUCTION MANUAL
			<u> </u>	_		REF.	DRAWN CHECKED SECT. SHEET
7-21-57	2	WAS 3722123	681		E		V F 10 16 00
8-25-56	1	REDRAWN & REVISED 3310	3101		F	DATE	PART No [EZ 10.00
DATE	SYM.	REVISION RECORD	AUTH	OR.	ĸ		5-18-56 3736500



MODELS CONVERTIBLE


CONVERTIBLE WIRING

						NAME PA	SSENGER CAR	INSTRUCTION	MANUA	
						REF.	DRAWN V	CHECKED F	SECT.	SHEET
8-25-56		RELEASED	3101			DATE	PART No.		19	16.01
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.	8-3-56	3,7	36500		.0.0




GENERATOR, VOLTAGE REGULATOR & HORN RELAY

4-22-57	5	PARTS ADDED	7717		F	NAME PA	SSENGER CAR	INSTRUCTION	MANUA	
	4	NOTE ADDED	I	1	F					
	3	NOTE ADDED	4011	1		REF.	DRAWN	CHECKED	SECT.	SHEET
10-11-56	2	CONNECTOR REMOVED	3101				P	F	10	47 00
8-25-56	1	REDRAWN & REVISED 346	8 3102	V	F	DATE	PART No.		IZ	17.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.	5-24-56	37	36500		




HORN

						NAM	PA	SSENGER CAR	INSTRUCTION	MANUA	L
	_			-		REF.		DRAWN	CHECKED	SECT.	SHEET
8-25-56	1.	HARNESS REROUTED	3176	V	F	<u> </u>		V	F	10	40.00
7-31-56		RELEASED	8502			DATE		PART No.		IZ	18.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.		5-11-56	37:	36500		




HEADLAMP

7-22-57	6	3698794 OPTION REMOVED	722	P	F	NAM	PA	SSENGER CAR	INSTRUCTION	MANUA	L
	5	J-NUT 3735332 & 3738190			F	REF.		DRAWN	CHECKED	SECT.	SHEET
1-16-57	4	REDRAWN	_			DATE		PART No.	<u> </u>	12	19.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.		6-13-56	37	36500		




PARKING & SIGNAL LAMP

						NAME PA	SSENGER CAR	INSTRUCTION	MANUA	L
	3	NOTE REMOVED		V	F		DRAWN		SECT.	SHEET
8-25-56		HARNESS REROUTED NOTE REMOVED	3176	 	\vdash	1	v	F		00.00
7-31-56		RELEASED	8502				PART No.		12	20.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.	5-11-56	37	36500		




TAIL & STOP LAMP

						NAME PASSENGER CAR INSTRUCTION MANUAL							
· · · · · · · · · · · · · · · · · · ·						REF.	DRAWN V	CHECKED	SECT.	SHEET			
7-31-56		RELEASED	8502			DATE	PART No.		12	21.00			
	SYM.	REVISION RECORD	AUTH.	DR.	CK.	4-17-5	37	36500					




LICENSE PLATE LAMP

						NAME PA	SSENGER CAR	INSTRUCTION	MANUA	
	2	WAS 3686821 IN ERROR			F	REF.	DRAWN	CHECKED	SECT.	SHEET
10-11-56	1	WAS 3735341 IN ERROR	8502			DATE	PART No.	<u> </u>	12	22.00
7-31-56	SYM.	RELEASED REVISION RECORD		DR.		4-30-56		36500		




SPEEDOMETER SHAFT

			Ţ			MAM	PA	SSENGER CAR	INSTRUCTION	MANUA	L
-	2	NOTE ADDED	7934	<u> </u>	-	REF.				ISECT.	_
2-20-57	1	CABLE RELOCATED	1334		-			р	F	36 C1.	SHEET
7-31-56		RELEASED	8502			DATE		PART No.		19	23.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.		6-13-56		36500		20.00





						NAME PA	SSENGER CAR	INSTRUCTION	MANUA	
						W.	DRAWN	CHECKER	SECT.	(A) COLOR
-24-57	Н	REDRAWN & REVISED 451	MI		Y		P		10	24.00
		463	321	<u> </u>			PART No.		1 12	*****
DATE	SYM	REVISION RECORD	AUTIL	DR.	CX.	6-14-56	•/	3 4 5 0 0	<u> </u>	




MODELS All,

						NAME	PAS	SENGER CAR	INSTRUCTION	MANUA	
	1,	INAC BROKAN		Ļ	<u> </u>	REF.					
	10	WAS 370540 POSITIVE CABLE REQUIED	581	L P	<u>. </u>			DRAMIN	CHRICKED	SECT.	SHEET
7-17-57	- 40	REDRAWN	2213	Ь—	⊢	B		Ψ	P	40	05 00
DATE	SYM.			_		DATE 5.	-15-58	PART No. 3 7 3	6500	IZ	Z 3.00
L DATE	31111	REVISION RECORD	AUTH.	DE.	Œ,	1 *	10-20				








BEAM AIM SHALL BE CHECKED WITH NO LOAD IN THE VEHICLE OTHER THAN THE DRIVER IN THE FRONT SEAT ADJUSTMENTS TO BE MADE WITH UPPER BEAM ON. EACH LAMP AIMED INDEPENDENTLY WITH OTHER LAMP COVERED

HORIZONTAL ADJUSTMENT

VERTICAL ADJUSTMENT

MAKE ADJUSTMENTS BEFORE
ASSEMBLING LAMP DOORS




MODELS

HEADLAMP ADJUSTMENT

						NAME	PASSEN	IGED CAD	MST	RUCTION MAI	MIAI	
					l					TOCION MA	ADAL	
						REF.		DRAWN		CHECKED	SECT.	SHEET
			1						v	,	ri	
7-31-56		RELEASED	8502			DATE		PART No.	· · ·		19 19	29.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.		5-23-56		373	6500		- / .00


FROM OUT SIDE LIGHT, ENOUGH TO ALLOW


LINES TO BE CLEARLY SEEN



RADIATOR & GRILLE

						NAME	PA	SSENGER CAR	INSTRUCTION	N NC	AANUAL	
						REF.		DRAWN V	CHECKED	F	42	SHEET
7-31-56		RELEASED	8502			DATE		PART No.	24500	\neg	13	1.00
	SYM.	REVISION RECORD	AUTH.	DR.	CK.		5-4-56	37	36500			






MODELS ALL


RADIATOR, SUPPORT & TIE BAR

3-11-57	3	3736390 & 3736391			F	NAME DA	CCENGED CAR	INSTRUCTION	MANUA	1
		SHIMS REMOVED	8369			TA	SSETOEK CAK	INSTRUCTION	MANUA	L
2-20-57	2	WAS 273573 OR 3730909 OPT	7737	٧	F	REF.	DRAWN	CHECKED	SECT.	SHEET
11-26-56	1	WAS . 75 ± . 25	5855		F	1	v	F		
7-31-56		RELEASED	8502		1	DATE	PART No.		1 12	900
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.	6-16-56		36500	'3	2.00




RADIATOR SUPPORT TO FRAME

						NAME	PA	SSENGER CAR	INSTRUCTION	MANUAL	
						REF.		DRAWN V	CHECKED	SECT.	SHEET
7-31-56		RELEASED	8502			DATE		PART No.	24500	13	3.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.		5-3-56	37.	36500		



GRILLE, CENTER & OUTER SPACERS


						NAME PA	SSENGER CAR	INSTRUCTION	MANUA	i.
8-20-56	2	PART ADDED WAS 3738752-3738319 OPT.	2960		F	REF.	DRAWN V	CHECKED	SECT.	SHEET
7-31-56 DATE	SYM.	RELEASED REVISION RECORD	8502 AUTH	DR.		DATE 6-23-56	PART No. 3 7	36500	13	4.00




MODELS

GRILLE BARS


						NAME PASSENGER CAR INSTRUCTION MANUAL					
0 00 56		WAS 4154636 SPACER CLIPS REMOVED	2547 3176	Ÿ	F	REF.	DRAWN	CHECKED	SECT.	SHEET	
8-20-56 7-31-56	-	RELEASED	8502	DR.	CK.	DATE 5-18-56	PART No.	36500	7 13	5.00	







FILLER PANEL & SUPPORT

7-22-57		PART ADDED	2341		च	NAME PASSENGER CAR INSTRUCTION MANUAL				L
1-22-31	6	PART ADDED	1011		F	REF.	DRAWN	CHECKED	SECT.	SHEET
3-25-57	5 4	PART ADDED REDRAWN	510	v_		DATE	PART No.		14	2.00
	SYM.	REVISION RECORD	AUTH.	DR.	ÇK.	6-18-56	37	36500		




	12	123905 WAS 123650	V		Ť	PA	SSENGER CAR INSTRUCTION	MANUA	
	<u> </u>	123905 WAS 123650	573			REF.	DRAWN CHECKED	SECT	SHEET
4-22-57	10	WAS 126012 OR 451013 OPT.	502				v r	امدا	
3-15-57	9	REDRAWN & REVISED 518	293	V	T	DATE	PART No.	14	3.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.	6-18-56	3736500		





SERIAL NUMBER PLATE

						NAME PAS	SEMGER CAR I	NSTRUCTION M	ANHIAI	
					Ι ΄	7.73	PLITOLK CAR I	1431 KOCHON IV	MITOML	
					1	REF.	DRAWN	CHECKED	SECT.	SHEET
9-5-56	1	NOTE ADDED	2915		F]	v	F		- 00
7-31-56		RELEASED	8502			DATE	PART No.		1 14	5.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.	5-28-56	37	36500		



CHEV. NO.	SPEC, NO.	DESCRIPTION	QUANTITY FOR 1000 JOBS	WHERE USED	SECT.
3719666	GM-4706-M (SEE DRWG)	ENGINE OIL (SEE DRWG)	1250 GAL	OIL PAN - THRU FILLER HOLE IN VALVE ROCKER COVER	6
			875 GAL	OIL PAN - THRU OIL FILLER TUBE - V-8	RPO 22 RPO 22
			375 GAL	OIL REMOVED FROM OIL PAN & HELD IN FILTER	RPO 23 RPO 41 RPO 57
			350 GAL	OIL FILTER - OIL PAN THRU OIL FILLER HOLE TO REPLACE OIL	RP023
			1. 17 GAL	GENERATOR OIL CUPS-BOTH ENDS-FILL CUPS	6
					RPO 22 RPO 22
				GASOLINE TANK METER UNIT GASKET - SOAK 2 HOURS - DRAIN	8
377181	GM-4506 M	ENGINE OIL (S. A. E. 50)	125 GAL	CARBURETOR AIR CLEANER - OIL BATH TYPE	RPO 22 RPO 22 RPO 216 RPO 41
350674	GM-4673 M (SEE DRWG)	STEERING GEAR LUBRICANT	750 LB (MIN.	STEERING GEAR - THRU FILLER HOLE IN HOUSING	•
3676286	GM-4653 M	HYDRAULIC BRAKE FLUID (DELCO	75 GAL	HYORAULIC BRAKE SYSTEM B	5
		SUPER NO. 11 SAE 70 RI)	89 GAL	HYDRAULIC BRAKE SYSTEM - VACUUM POWER BRAKE B	RPO 41
598422	SEE DRWG	GRAPHITE GREASE	5.5 LB	CLUTCH RELEASE BEARING COLLAR - SEE VIEW	6
375933	GM-4640 M	SMOOTH TYPE CHASSIS LUBRICANT (PRESSURE	100 LB	FRONT SUSPENSION UPPER CONTROL ARM BALL STUD ASSY - 1 FITTING EACH SIDE	
		GUN LUBRICANT)		FRONT SUSPENSION LOWER CONTROL ARM BALL STUD ASSY - 1 FITTING EACH SIDE	3
				STEERING RELAY ROD - 1 FITTING	
				STEERING TIE ROD ASSY - 2 FITTINGS EACH SIDE	9
			5 LB	2ND & 3RD IDLER LEVER SHAFT - BUSHING CONTACT SURFACES	7
OPTIONAL 597663	GM-4647 M	VISCOUS TYPE CHASSIS LUBRICANT (PRESSURE	10 LB	COAT CLUTCH SHAFT ASSY & CLUTCH FORK DALL STUD	6
		GUN LUBRICANT)	9 LB	BATTERY TERMINAL WASHER - COAT	12
		Ţ	9 LB	DISTRIBUTOR - FILL GREASE CUP	6
		•	15 LB	FUEL PUMP PUSH ROD - LUBRICATE APPROX 1 INCH ON CAMBRAFT END	RPO 221 RPO 223

A FOR USE ON JOBS THAT ARE DRIVEN AWAY

LUBRICATION

			T			NAME PA	SSENGER CAR	INSTRUCTION	MANUA	
				ш	L_					
			1			REF.	DRAWN	CHECKED	SECT.	75042
11-5-56	. 1	RPO 578 ADDED	3750		F	L	P	F	امدا	700
7-31-56		RELEASED	8502		L	DATE	PART No.	,	4	7.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.	5-18-56	37	36500		

B TO PREVENT LEAKAGE OF BRAKE FLUID DURING SHIPMENT, THE QUANTITY SHOWN ABOVE IS APPROXIMATELY 50 CC LESS THAN REQUIRED TO FILL THE RESERVOIR

CHEV. NO.	SPEC, NO.	DESCRIPTION	QUANTITY FOR 1000 JOBS	WHERE USED	SECT.
3716734		AUTOMATIC TRANSMISSION FLUID	3 625 GAL RPO 302 1062 GAL RPO 313	AUTOMATIC TRANSMISSION - THRU FILLER NECK ON RIGHT SIDE OF TRANSMISSION	RPO 303
			1 285 GAL.	HYDRAULIC STRERING GEAR PUMP	RPO 33
		`	4 GAL	PROPELLER SHAFT YOKE - TRANSMISSION END	4
				CLUTCH PEDAL RETURN SPRING - LUBRICATE BOTH ENDS	•
3699822	SEE DRWG	SPECIAL LUBRICANT (LUBRIPLATE)	100 LB REG. PROD.	TRANSMISSION CONTROL LOWER ROD - BELL CRANK END ONLY LD	1
		,,	70 LB RPO 302 RPO 313	TRANSMISSION CONTROL UPPER ROD - BELL CRANK END ONLY LD	
				TRANSMISSION CONTROL ROD - TRANSMISSION END ONLY LD	
				TRANSMISSION CONTROL ROD - 1ST & REVERSE - UPPER END RD	
				TRANSMISSION CONTROL ROD - 2ND & 3RD - UPPER END RD	
				TRANSMISSION CONTROL LOWER ROD - 18T & REVERSE - BOTH ENDS RD	7
				TRANSMISSION CONTROL LOWER ROD - 2ND & 3RD - BOTH ENDS RD	
				TRANSMISSION CONTROL CROSS SHAFT TO TRANSMISSION LEVER RODS - BOTH ENDS RD	
				TRANSMISSION CONTROL CROSS SHAFTS & BRACKET - COAT WORKING SURFACES WHEN ASSEMBLING RD	
				TRANSMISSION CONTROL LEVER - LUBRICATE BALL & FULCRUM	
				TRANSMISSION CONTROL LEVER HOUSING - LUBRICATE ALL WASHERS & SPACERS, KEY & INSIDE DIAMETER TOP & BOTTOM BEARING SURFACES	

LUBRICATION

	4	WAS NOTE "A"			F	PASSENGER CAR INSTRUCTION MANUAL				
8-19-57	2	WAS 1062 RPO 302, RPO 313 NOTE ADDED	3229	P		REF.	DRAWN	CHECKED	SECT.	\$HEET
5-13-57	1	WAS 207.5	633	_	I		P	7	14	800
7-31-58 DATE	57ML	RELEASED REVISION RECORD	AUNH.	DR.	α	•	PART No. 37	4500	17	0.00

CHEV. NO.	SPEC. NO.	DESCRIPTION	QUANTITY FOR 1000 JOBS	WHERE USED		SECT.
3699822	SEE DRWG	SPECIAL LUBRICANT (LUBRIPLATE)	FOR QUANTITY SEE SHEET 8.00 (2)	DIRECTION SIGNAL LIGHT HOUSING OR STEERING WHEEL HUB COVER - LUBRICATE BASE & INSIDE DIAMETER		
				TRANSMISSION CONTROL SHIFTER TUBE - LUBRICATE UPPER & LOWER ENDS		7
				TRANSMISSION CONTROL SHIFTER LEVERS - SHIFTER TUBE ENDS ALL OVER		
				BRAKE & CLUTCH PEDAL SLEEVE ASSEMBLY		
				CLUTCH PEDAL SHAFT		•
				BRAKE PEDAL HUB		5
				CLUTCH PEDAL PUSH ROD - BOTH ENDS		
			0	CLUTCH FORK PUBE ROD - REAR END & SWIVEL		•
				PARKING BRAKE LEVER ASS' Y-COAT LEVER OVER ITS ENTIRE LENGTH		5
				HAND BRAKE PULLEYS - COAT PIVOT BOLTS WHEN ASSEMBLING ASH TRAY RETAINER - COAT HEADS OF RETAINER AT SURFACES CONTACTING WITH ASH TRAY SPRING -COAT RETAINER SIDE TABS		5
			TRANSMISSION TORQUE CONVERTER COVER PILOT HOLE IN CRANKSHAFT - LUBRICATE INSIDE DIAMETER			
				TRANSMISSION CONTROL SHIFTER TUBE RETURN SPRING - BOTH ENDS		RPO 3 RPO 3
				TRANSMISSION CONTROL SHORT ROD - BOTH ENDS		
			•	FAST IDLE CONTROL ROD - AT EYE BOLT		FOA I
				TRANSMISSION CONTROL ROD BELL CRANK STUD		RPO 3
			15 LBS	BRAKE PEDAL SHAFT. HOLES IN LINK & LEVER ASSY		RPO 4
3704876		RUBBER LUBRICANT	100 LB.	TO ASSEMBLE TIRE TO RIM	В	10
				FOR MISCELLANEOUS APPLICATIONS TO FACILITATE ASSEMBLY	В	
37 19083	GM 4736-M	SPECIAL LUBRICANT	380 GAL	TRANSMISSION - 3 SPEED - THRU FILLER HOLE IN CASE		7
			375 GAL	TRANSMISSION - OVERDRIVE - THRU FILLER HOLE IN TRANSMISSION CASE		RPO 3
594494	GM-4655 M	A-9 HYPOID LUBRICANT (SAE 90) LEAD SOAP - ACTIVE SULPHUR TYPE	3700 LB	REAR AXLE - THRU FILLER HOLE & LEVEL PLUG IN HOUSING	٨	1
3654561	GM-4735-M	A-9 HYPOID LUBRICANT (SAE 90) NON-ACTIVE TYPE	3700 LB	REAR AXLE-THRU FILLER HOLE & LEVER PLUG IN HOUSING		RPO6

A. CAUTION-THIS LUBRICANT, IF PERMITTED TO STAND UNUSED FOR TWO WEEKS OR MORE, MUST BE THOROUGHLY AGETATED BEFORE USING IN REAR AXLES.

B. CONCENTRATED MATERIAL (AS PURCHASED) TO BE DILUTED WITH FROM FOUR TO EIGHT PARTS WATER FOR TIRE MOUNTING, AND FOR LUBRICATION OF MISCELLANBOUS PARTS DURING ASSEMBLY.

LUBRICATION

7-22-57	4	NOTE ADDED	2828		F	NAME PACER	JOSE CAR IN	STRUCTION MA	ditai	
11-26-56	3	3654561 ITEM ADDED	5496		F					
	2	WAS SHEET 9.00			WF	REF.	DRAWN	CHECKED	SECT.	SHEET
9-25-56	1	NOTE REVISED	4087					Y Y	44	9.00
7-31-50		RELEASED	8502				PART No.	36500	ודיו	7.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.	5-18-56	• • • • • • • • • • • • • • • • • • • •	30300		

CHEV. NO.	SPEC. NO.	DESCRIPTION	QUANTITY FOR 1000 JOH	WHERE USED	SECT.
3671259	GM-1897-M	RADIATOR ANTI-FREBZE (ETHYLENE GLYCOL)	AS REQD. TO PROTECT TO MINUS 20° F. ALL PLANTS EXCEPT LOS ANGELES, OAKLAND, ATLANTA AND JANESVILLE.		
			AS REQD. TO PROTECT TO MINUS 30° F. JANESVILLE		
			•	(A) COOLING SYSTEM CAPACITY 3 SPEED AUTO. TRANSMISSIONS	
			②	L-6-15 QTS 1 - 1/2 PTS L-6-15 QTS 1- 1/2 PTS V-8-15 QTS 1 - 3/4 PTS V-8-15 QTS 1- 3/4 PTS	
		7		ADD ONE QUART TO COOLING SYSTEM CAPACITY AS SPECIFIED ABOVE WHEN HEATER (FOA 101) OR AIR CONDITIONING (FOA -110)-(FOA-111) IS INSTALLED.	101 110 110
3683422	GM-1986-M	RAIDIATOR ANTI-FREEZE (MENTHANOL BASE)	AS REQD. ATLANTA PLANT ONLY.		
			NOT USED WHEN AIR CONDITIONING (FOA-110)- (FOA-111) IS SPECIFIED.		
1163105	SEE DRWG	INSEALATOR	1000-CAPSULES	PLACE 1-CAPSULE OR PELLET IN RADIATOR	
OPTIONAL 3730569	SEE DRWG	COOLING SYSTEM SEALING COMPOUND	1000-PELLETS	OUTLET HOSE OR THERMOSTAT HOUSING NECK.	

QUANTITY SHOWN IS AMOUNT REQUIRED TO FILL, COOLING SYSTEM TO WITHIN 1 INCH OF BOTTOM OF FILLER NECK AND IS 1 QUART LESS THAN IS NEEDED TO FILL THE DRY SYSTEM TO THE OVERPLOW TUBE.

B WHEN HEATER OR AIR CONDITIONING IS SPECIFIED, FULLY OPEN TEMPERATURE CONTROL VALVE FOR HEAT WHEN FILLING TO MINIMIZE TRAPPING OF AIR.


	CHEV. NO.	SPEC. NO.	DESCRIPTION	QUANTITY FOR 1000 JOBS	WHERE USED	SECT
0	3740993	SEE DRWG.	LIQUID WAX	AS REQD - TARRYTOWN, BALTIMORE, ST. LOUIS, FLINT, NORWOOD & JANESVILLE	FRONT BUMPER FACE BAR ASSY FRONT BUMPER CENTER FACE BAR FRONT BUMPER OUTER FACE BAR FRONT BUMPER GUARD REAR BUMPER OUTER FACE BAR REAR BUMPER CENTER FACE BAR REAR BUMPER GUARD ASSY (STATION WAGON & SED. DELIVERY) GRILLE CENTER BAR ASSY	14


0


MODELS

(A) USED FROM SEPT. 1, 1956 TO MAR. 31, 1957. (4)
COATING MAY BE APPLIED BY DIPPING,
SPRAYING OR WIPING ON PLATED SURPACE.
THE WAX SOLUTION MAY BE HEATED TO A
TEMPERATURE OF 120 DEGREES F. TO
PERMIT MORE RAPID DRYING, WHEN DRY
THE WAX COATING MUST BE RUBBED INTO
THE SURFACE TO BE EFFECTIVE.

4	MAR, 31 WAS FEB. 28	7502		F	NAME PAS	SENGER CAR I	NSTRUCTION M	ANDAL	
			V						
2				II.	MEF.	DRAWN	CHECKED	SECT.	94661
1	PART ADDED	3919	V	F		P	, F	44	40.00
	RELEASED	8502	L	L	DATE	PART No.		14	10.00
3	REVIRON RECORD	AUTH.	DR.	α	5-18-56	373	6500		
֡	3 2 1	2 NOTE REMOVED 1 PART ADDED RELEASED	3 GRILLE CENTER BAR ADDED 336 2 NOTE REMOVED 7072 1 PART ADDED 3919 RELEASED 8502	3 GRILLE CENTER BAR ADDED 336 V 2 NOTE REMOVED 7072 1 PART ADDED 3919 V RELEASED 8502	3 GRILLE CENTER BAR ADDED 336 V 2 NOTE REMOVED 7072 F 1 PART ADDED 3919 V F RELEASED 8502	3 GRILLE CENTER BAR ADDED 336 V 2 NOTE REMOVED 7072 F 1 PART ADDED 3919 V F RELEASED 8502 DATE	3 GRILLE CENTER BAR ADDED 336 V 2 NOTE REMOVED 7072 F REF. DRAWN 1 PART ADDED 3919 V F RELEASED 8502 DATE PART No. 27	3 GRILLE CENTER BAR ADDED 336 V 2 NOTE REMOVED 7072 F REF. DRAWN CHECKED 1 PART ADDED 3919 V F P P F RELEASED 8502 DATE PART No.	3 GRILLE CENTER BAR ADDED 336 V 2 NOTE REMOVED 7072 F REF. DRAWN CHECKED SECT. 1 PART ADDED 3919 V F P P F 14








CORE & BLOWER

						NAME PA	SSENGER CAR	INSTRUCTION	MANUA	_
							DRAWN	CHECKED	F. O. A.	SHEET
							v	F	404	2.00
4-2-57	5	REDRAWN & REVISED 526 444	339	V	F	DATE	PART No.		101	3.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.	6-26-56	3 7	36500		





REVISION RECORD


AUTH.


6-26-56

CONTROLS










MODELS


ALL WITH V-8 ENGINE AUTOMATIC TRANS.

CONDENSER

10-22-56	4	HOLES ADDED	5263	V	F	NAME PA	SSENGER CAR	INSTRUCTION	MANUA	1
9-21-56	3	WAS 1119171	3977		WI					
	2	WAS 444267	7513		F	REF.	DRAWN	CHECKED	F. Q. A.	SHEET
9-5-56	1	NO. 8525505 REMOVED	2473				v	F	110 I	200
7-31-56		RELEASED	8502			DATE	PART No.		1444	3.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	СК	6-26-56	373	36500	111	





						NAME PA	SSENGER CAR	INSTRUCTION	MANUA	L
				L			DRAWN	CHECKED	F. O. A.	SHEET
	2	3747192 R. H. REMOVED		L.,	F			CUECKEN	1' ~	311661
4-22-57	1	WAS 3747191 L. H.	579			ECR 411	V .		110	3.01
3-15-57		RELEASED				DATE	PART No.		110	3.01
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.	2-18-57	37	36500		




ļ						NAME PA	SSENGER CAR	INSTRUCTION	MANUA	<u> </u>
6-18-57	14	WAS 161894	681		F	REF.	DRAWN	CHECKED	F. O. A.	SHEET
	13	CLIP RELOCATED			F]	v	F	440	4.00
5-27-57	12	REDRAWN	1254	V		DATE	PART No.		110	4.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.	6-26-56		36500		












EVAPORATOR & BLOWER

		· · · · · · · · · · · · · · · · · · ·				NAME DE	SATILISER CAR	INSTRUCTION	MANUA	
								CHICKED	F.O.A	PHENT
	11	WAS 3138453	· · ·		F	[У	F	440	E 00
4-32-57 DATE	SYM.	REDRAWN AFFIRM RECORD	2774 AUTH	DA	ζμ.	DATE B-20-56	7AR5 44 3 7 .	34500	שו	3.00








FOA WIRING DIAGRAM SECTION 12


BLOCK ASSY.


MODELS


ALL WITH V-8 ENGINE AUTOMATIC TRANS,

					NAME PASSENGER CAR INSTRUCTION MANUAL						
					REF.	DRAWN	CHECKED	F. O. A.	SHEET		
2-11-57		RELEASED	7021		DATE	PART No.	F	110	7.01		
DATE	SYM.	REVISION RECORD		DR.	 1-10-57	37	36500	ļ <u> </u>			









2 SEE LUBRICATION CHART (18

FAST IDLE ROD AND TUBE ASSY

MODELS

ALL WITH V-8 ENGINE AUTOMATIC TRANS.

			 	\vdash		NAME PA	SSENGER CAR	INSTRUCTION	MANUA	
	10	NOTE ADDED				REF.	DRAWN	CHECKED	F. O. A.	SHEET
7-22-57	9	REDRAWN	2828	P	F	DATE	v	F	110	8.00
DATE	SYM.	REVISION RECORD		DR.	CK.	8-7-56	PART No. 3 7	36500	ן יי ו	0.00
						L	<u> </u>			



INSPECTION AND TEST PROCEDURE.

IN ORDER TO ASSURE PROPER OPERATION OF THIS UNIT, THE FOLLOWING STEPS SHOULD BE TAKEN:

- A, AFTER THE SYSTEM HAS BEEN DISTALLED, THE FOLLOWING CHECKS SHOULD BE MADE IN THE OPEN AIR OR A PLACE WITH ADE-QUATE MOVEMENT OF FRESH AIR.
 - L. ALL REFRIGERATION CONNECTIONS SHOULD BE CHECKED WITH A LEAK DETECTOR OF THE ALCOHOL TORCH TYPE AS SUPPLIED BY FRIGIDAIRS. THIS TORCH BURNS ONLY CLEAR ETHYL ALCOHOL AND A LEAK OF ONLY ONE POUND OF REFRIGERANT IN 13 YEARS CAN BE READILY DETECTED. WHEN OPERATING PROPERLY, THE FLAME IN THE LEAK DETECTOR BURNS WITH A CLEAR. ALMOST INVISIBLE FLAME, BUT WHEN A LEAK IS DETECTED, IT TURNS A BRILLIANT GREEN.
- B, IN ORDER TO CHECK THE PROPER FUNC-TIONING OF A COMPLETED JOB, PROCEED AS FOLLOWS:
 - 1. CLOSE ALL CAR DOGRS AND WINDOWS.
 - 2. START ENGINE AND SET CARBURETOR TO RUN AT 1500 SPM, SET AIR CONDI-TIONING CONTROL TO COLDEST POSI-TION, BLOWER TO HIGH SPEED, AND SET CONTROL FOR INSIDE AIR, ALLOW EN-GINE TO OPERATE FOR APPROXIMATE-LY 5 MINUTES OR UNTIL THERMOSTAT STOPS THE COMPRESSOR WHILE BYOME AND COMPRESSOR ARE OPERATING, CHECK THROUGH CLEAR SIGHT GLASS, PRESENCE OF AIR BUBBLES, INDICATES INSUFFICIENT REFRIGERANT,

3. USING A TEMPERATURE TEST METER WITH A DIAL READING OF 0° TO 180°F. AND AT LEAST A TWO STATION SELECTOR SWITCH AND TWO JACKS WITH 12-1/2 FEET OF BULB WIRE, WE CAN CHECK TEMPERATURES AT TWO DIFFERENT POINTS BY MERELY TURNING THE SSLECTOR SWITCH, WITH THE TWO LYADS CONNECTED TO THE METER, THE FREE END OF NUMBER ONE SHOULD BE PLACED IN THE RIGHT MAND DISCHARGE NOTALE AND NUMBER TWO IN THE RECIRCULATING AIR OPENING IN THE DASH BELOW THE AIR DUCT. THE FOLLOWING READINGS INDICATE SATISFACTORY OPERATION.

RETURN AIR #2 DISCHARGE AIR #1

70° - 80°F, Max. 50°F. 80° - 80°F, Max. 56°F. 80° - 100°F, Max. 58°F,

IF THE PROPER RELATIONSHIP EXISTS BETWEEN THE ABOVE, THE SYSTEM SHOULD CONTINUE TO RUN UNTIL THE THERMOSTAT CYCLES AND STOPS THE COMPRESSOR. THIS CAN BE READILY DETERMINED BY THE SCREW CAP ON THE EXTREME FRONT OF THE COMPRESSOR IF THIS IS STATIONARY, THE COMPRESSOR IS NOT OPERATING.


- 4. SET ENGINE FOR SLOW IDLE, AND RUN FOR SEVERAL MINUTES TO CLEAN COM-PRESSOR OF REFRIGERANT, PULL TEROTTLE ROD OUT UNTIL THE ENGINE REACHES 900 R.P.M. BUTT GUIDE NEAR-EST DASH PANEL AGAINST SHEATH OF BOWDEN CABLE AND SECURE WITE SET SCREW.
- C. THE HEATING SYSTEM CAN BE CHECKED BY THROWING THE HEAT SWITCH TO FULL ON POSITION AND CHECKING FOR WARM AIR.

MODELS

ALL WITH V-8 ENGINE AUTOMATIC TRANS.

INSPECTION & TEST PROCEDURE


											
						-	PA	SSENGER CAR	HISTOUCTION	MANUA	L
			<u>_</u>	<u> </u>	_	5 E			Creciate	6.0.A	in-eelija
	1		-		⊢			v	,		
3-37-61	<u> </u>	RE LE ASED	75[1	⊢	⊢	DATE		PAST No.		1110	9.00
	5YM.	BIANNON BECOME		M.	œ		2-1-57		14500	•••	, , , , , , , , , , , , , , , , , , ,



ALL

SHOCK ABSORBER & SHIELD (EXPORT)


						NAME DASSEN	GED CAR INCT	RUCTION MAN	1144	
	11	(EXPORT) ADDED			F			KUCHON MAN	UAL	
	10	MODELS REMOVED				REF.	DRAWN	CHECKED	R.P.O.	SHEET
	9	MODELS REMOVED]	P	F	900	
1-28-57	8	REDRAWN	6777			DATE	PART No.		ZUU	1.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.	4-24-56	373	6500	211	



SEE LUBRICATION CHART

AIR CLEANER


						NAME PA	SSENGER CAR	INSTRUCTION	MANUA	L
						REF.	DRAWN V	CHECKED F	R. P. O.	SHEET
7-31-56		RELEASED	8502			DATE	PART No.		216	1.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.	4-16-56	37	36500		





DATE SYM.

REVISION RECORD

3734500








SEE LUBRICATION CHART

VIEW A

MODELS ALL

GENERATOR, OIL FILLER, PULLEY & FAN BELT

						NAME PAS	SENGER CAR II	NSTRUCTION	MANUAL	
	6	WAS 181347			F	REF.	DRAWN	CHECKED	R.P.O.	SHEET
8-2-57	5	REDRAWN	3064	P		DATE	PART No.	1	 ZZ	3.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.	5-10-56	3 7 3	6500	223	3.00




SEE LUBRICATION CHART

MODELS ALL


AIR CLEANER

						NAME	PASSENGER CAR INSTRUCTION MANUAL
			 			REF.	DRAWN CHECKED R. P. O. SHEET
12-11-56		WAS 1552730	5838	_	F		PART No. P 221 4.00
7-31-56		RELEASED	8502		ļ	DATE	
DATE	SYM.	REVISION RECORD	AUTH.	DR.	Œ.		5-10-56 3736500 223




EXHAUST SYSTEM

						NAME PA	SSENGER CAR	INSTRUCTION	MANUAL	•
	3	VIEW ADDED	T		F			1143140011011	***************************************	
	2	VIEW ADDED	1			JREF.	DRAWN	CHECKED	R. P. O.	SHEET
7-22-57	1	NOTE ADDED	730	P		1	P	F	991	
7-31-56		RELEASED	8502			DATE	PART No.		1221	5.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.	6-26-56		36500	 223 	5.00



OIL LEVEL GAUGE


			Ţ			NAME PA	SSENGER CAR	INSTRUCTION	MANUAL	
1 0 67		POSITION REVISED	†	v	F	REF.	DRAWN V		R. P. O.	SHEET
1-2-57 11-26-56	2	REDRAWN & REVISED	5872	Ľ	F		PART No.	<u> </u>	124 I	6.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.	5-11-56	373	36500	223	



MODELS ALL

FILTER CAVITY

						NAME	PASSENGER CA	R INSTRUCTION	ON MANUAL	
-				\vdash	┢	REF.	DRAWN	CHECKED	R.P.O. S	HEET
				 	\vdash	Ĺ		P	F 004	-
-31-56		RELEASED	8502			DATE 6-14-	PART No. 3.7	36500		.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.	1 0-14-	39	30300	ZZJ	




SEE LUBRICATION CHART

MODELS ALL


CARBURETOR & FUEL PUMP

						NAME	PASSEN	GER CAR INS	TRUCTION MA	NUAL	
						REF.		DRAWN	CHECKED	R. P. O.	SHEET
	9	WAS 103025			4				<u> </u>	- 221	0.00
-12-57	σ	REDRAWN	66)			DATE		PART No.		223	9.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CX.	ł	6-14-56	37	36500	223	



MODELS ALL


					匚	NAME PA	SENGER CA	R INSTRUCTION	MANUAL	
			<u> </u>			NEF.	DRAWN	G-8000	L.O.	\$14661
9-6-64	1	WAS 3720157	6339		7	DATE	PART No	<u>P</u> 1	7221	11.00
7-31-56 DATE	SML	RELEASED REVISION RECORD	AURH.	ion.	ō.	6 14 44		736500	223	11.00



MODELS ALL LD

ACCELERATOR CONTROL

						NAME PA	SSENGER CAR	INSTRUCTION	MANUAL	
7-17-57	1	WAS 103373	681		14.	REF.	DRAWN P	CHECKED F	R. P. O. 991	SHEET
7-31-56 DATE	SYM.	RELEASED REVISION RECORD	8502 AUTH.	DR.	CK.	DATE 6-14-56	PART No. 3 7	36500	223	12.00




MODELS ALL RD

ACCELERATOR CONTROL

VIEW A


	6	WAS 103373		P	F	NAME	PASSENGER CA	R INSTRUCTION	MANU	AL
	5 4	WAS 103339 WAS 451189				REF.	DRAWN		R. P. O.	SHEET
7-17-57	3 2	WAS 103319 REDRAWN	681		_	DATE	PART No.		333 331	13.00
DATE	SYM.	REVISION RECORD		DR.	CK.	6-14-56		36500	223	



R. P. O. 221

MODELS


			1			NAME PA	SSENGER CAR	INSTRUCTS	ON MANUAL	·
	14	WAS 1107060	٠.,		F				411 100 1016	
	ाड	WAS 196 331	T			REF.	DRAWN	CHECKED	R. P. O.	94ET
-	12	WAS 122162				1	1	·I	F 001	4400
712-57	.11	REDRAWN	60%			DATE	PART No.	•	7221	14.UU
DATE	SYM.	REVISION RECORD	AUTH	DR.	CX.		37	36500	223	




MODELS ALL R.D.

CLUTCH HOUSING BRACKET


						NAME PA	SSENGER CAR	INSTRUCTION	MANUA	
	3	PART ADDED			F	REF.	DRAWN	4	R. P. O.	SHEET
2-20-57	1	3740698 REMOVED	7389				v	F	991	4404
9-5-56		RELEASED	2587			DATE	PART No.		1221	14.01
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CX.	8-20-56	37	36500	223	




OPTION REMOVED 5290 8502 RELEASED 7-31-56 3736500 6-16-56 AUTH. DR DATE REVISION RECORD




						NAME PA	SSENGER	CAR INSTRUCTI	ON MANUAL	,
	17	WAS 367705	681	₽	L					The state of the s
4	16	VIEW "D" REVISED				RD.	DRAWN	CHECKED	R. P. O.	SPIEE!
	15	CABLE ROUTING ADDED				1	1	V	<u> </u>	
7-17-57	14	REDRAWN	2213	L		DATE	PART No		003	16.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CX.	6-16-56		3736500	223	







HOOD, NAME PLATE & ORNAMENT

						NAME PA	SSENGER CAR II	NSTRUCTION	MANUAL	
	ı	PART & MODELS ADDED 2400 REMOVED			F	REF.	DRAWN V	•	R. P. O.	SHEET
2-27-57		REDRAWN	8116			DATE	PART No.		4XXII	17.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	ď	6-14-56	3736	6500	223	






AUTO, TRANS, TYPE-A



AUTO. TRANS, TYPE-B


MODELS
ALL,
AUTO, TRANS,
(RPO 223 ONLY)


3 "RPO-223 ONLY"ADDED				MANE PA	SSENGER CAR	INSTRUCTION	MANUAL	
3 WAS 3736064	443		-	40.	ERAWN	CHECKED	12.2.0.1	9487
1-7-57 1 VIEW REVERD	6027	٧		1	P	, ,	001	40.00
7-31-56 RELEASED	4551			DATE	PART No.		122!	19.00
DATE SYM. REVISION RECORD	AUTH	DE.	p		37	34500	223	



CARBURETOR TO TRANSMISSION LINKAGE ADJUSTMENT

			<u> </u>			NAME PA	SSENGER CAL	MISTRUCTION	MANUAL	
<u> </u>		NOTE REVISED		-	٠,		DEAWN	CHCCO	E.P.O.	34421
		NOTE REVISED					٧	<u> </u>	 221	വ സ
5-27-87	4	REDRAWN	1421	Y	!		PART No. 3.7	36500	003	20.00
DATE	SYML	REVISION RECORD	AUTH.		α.	6-13-56	l *′	34300	ZZJ	






SEE LUBRICATION CHART

OIL FILTER

NAME PASSENGER CAR INSTRUCTION MANUAL SHEET R.P.O. CHECKED DRAWN REF. 237 3.00 PART No. DATE 8502 7-31-56 RELEASED 3736500 6-20-56 DR. AUTH. REVISION RECORD DATE SYM.

100-125 LBS. IN.




MODELS

ALL LD 6 CYL ONLY


GOVERNOR

	\dashv					NAME PA	SSENGER	CAR	INSTRUCTION A	ANUAL	
11 00 50	\Box	TILLE BOLDELA DI BODOD				REF.	DRAWN		CHECKED	R.P.O.	SHEET
11-26-56 7-31-56		WAS 7010719 IN ERROR RELEASED	8502		F	DATE	PART No.	V	F	0.41	1.00
DATE S	M.	REVISION RECORD		DR.	CK.	6-22-56	, , , , , , , , , , , , , , , , , , ,	3 7	36500	Z 7 !	1.00



AUXILIARY SEAT

						NAME PASSENGER CAR INSTRUCTION MANUAL				
						REF.	DRAWN	CHECKED	R. P. O.	SHEET
							V	F	263	100
7-31-56		RELEASED	8502			- 1 - 1 - 1	PART No.		ZO3	1.00
	SYM.	REVISION RECORD	AUTH.	DR.	CX.	5-24-56	37	36500	<u> </u>	




DA M


Mydelet mpgmp


0-L1-34

3734600



						NAME PA	SSENGER CAR	INSTRUCTION	MANUAL	
									R. P. O.	SHEET
	2	WAS RPO 313 ONLY			F	REF.	DKAMIN	.		STREET
2-11-57	1	VIEW ADDED	7221	V			P	F	309	0.00
7-31-56		RELEASED	8502			DATE	PART No.			2.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.	6-22-56	373	36500	313	





SEE LUBRICATION	CHART FOR FILLING	INSTRUCTIONS

DRIVE OIL FILLER PLUG INTO ACCESS HOLE (A).


11. REASSEMBLE FLY WHEEL HOUSING COVER.

TRANSMISSION TO ENGINE

	13	NOTE REMOVED			7	MAME 1	PASSENGER CAR INSTRUCTION MANUAL				
	12	PROCEDURE REVISED NOTE ADDED			Ė	REF.	DRAWN	CHECKED	EP.O.	SHEET	
5-27-57	10	REDRAWN	8829	Y		DATE	PART No.	<u> </u>	13UX	3.00	
DATE	SYM	REVISION RECORD	AU3H.	DR.	α.	6-12-56	37	36500	313		


MODELS


RPO 313



TRANSMISSION TO ENGINE

						NAME PA	SSENGER CAR	INSTRUCTION	MANUAL	
4-9-57	7	WAS 15-20 LBS. PT.	6290	γ	F					
	9	WAS 273713	7744		ŀ	LEF .	DRAWN	CHECKED	\$27	SHEET
	5	STEP ADDED					P	7	IYUEI	4 00
3-11-57	4.	REDRAWN	8382			DATE	PART NA.		343	4.VU
DATE	SYM.	REVISION RECORD	AUTH.	DA.	αĸ.	6-22-56	373	4500	וכוכן	






MODELS RPO 313

ACCELERATOR CONTROLS

						NAME PASSENGER CAR INSTRUCTION MANUAL					
						REF.	DRAWN	CHECKED	F 200	SHEET	
3-15-57 7-31-56		WAS 148148 RELEASED	7678 8502	-	<u>. F</u>	DATE	PART No.	PI		5.00	
	SYM.	PEVISION RECORD		DR.	Œ.	6-12		3736500	313		





MODELS

RPO 313


ACCELERATOR CONTROLS ADJUSTMENT


						NAME	PA	PASSENGER CAR INSTRUCTION MANUAL					
						REF.		DRAWN	CHECKED F	302	SHEET		
7-31-56		RELEASED	8502			DATE		PART No.		212	6.00		
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.		6-12-56	37	36500	313			






VIEW B






TRANSMISSION GEARSHIFT CONTROL ADJUSTMENT


- 1. SET CONTROL ROD BELL CRANK (U) IN PARK POSITION.
 2. SET CONTROL SHAFT LEVER (8) IN PARK POSITION.
 3. WITH BOTH (U) & (8) HELD IN PARK POSITION ASSEMBLE CONTROL ROD (V) & TIGHTEN SWIVEL CLAMP ON ROD.




		WAS 3741360	9357	P	F	NAME PA	SSENGER CAR	INSTRUCTION	MANUAL	
7-17-57	6	WAS 3711059	9307							
	5	DIMENSION ADDED			F	REF.	DRAWN	CHECKED	R. P. O.	SHIBET
	4	DIMENSION ADDED	6434				v	F	309	
1-28-57	3	REDRAWN				DATE	PART No.		242	7.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CX.	6-30-56	373	6500	313	

SEE LUBRICATION CHART






3-20-57	4	NOTE REVISED	T955		I	MAME PA	SSENGER CAR INSTRUCTION	MANUAL
	3	NOTE REVISED	3651	Ĺ	[]			
L		NOTE REVISED	6396		_	Jan	DRAWN CHECKED	R. P. O. SHEET
1-7-57	1	NOTE REVISED	6553	. ₹	ᆫ		V F	302 0 00
7-31-56	\Box	RELEASED	8503	<u> </u>	<u> </u>	DATE	PART No.	343 9.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CX.	6-20-56	1736500	313



SEE LUBRICATION CHART


OIL COOLER, VACUUM & FILLER

						NAME PA	PASSENGER CAR		MANUAL	
						REF.	DRAWN	CHECKED	200	SHET
4-22-57	8	VIEW REVISED REDRAWN	8388	V	F	DATE	PART No.	IF.	212	10.00
	SYM.	REVISION RECORD	AUTH.	DR.	CX.	6-13-56	373	86500	313	




TRANSMISSION CONTROL

						NAM	PA	SSENGER CAR	INSTRUCTION	MANUAI	
	<u> </u>					REF.			CHECKED	R. P. O.	SHEET
	6	NOTE ADDED		P	F	j		v	F	309	44.00
7-17-57	5	REDRAWN	1644			DATE		PART No.		242	71.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.		6-15-56	373	36500	313	



TRANSMISSION OVERDRIVE


					-	NAME PA	SSENGER CAR	INSTRUCTIO	N MANUA	L
	9	HARNESS REPOUTED			E	277	DRAWN	CHECKED	R.P.O.	SHEET
	6	370540 REMOVED	1774			REF.	tr	Checker	P	
	7	WAS 370540					Y	<u> </u>	-1245	1.00
7-12-57	6	REDRAWN	681			DATE	PART No.		1212	1.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.	6-20-56	3/	36500		




MODELS V-8

TRANSMISSION OVERDRIVE


	PINT BUILDA LAND	661							
7	FUSE RELOCATED CLIPS RELOCATED			F	REF.	DRAWN V	CHECKED	R. P. O.	SHEET
3-25-57 6 1	REDRAWN REVISION RECORD	8665 AUTH	V DR.	CK.	DATE 6-20-56	PART No.	36500	315	2.00






KICKDOWN SWITCH

						NAME PA	SSENGER CAR	INSTRUCTION	MANUAL	
			-				DRAWN	CHECKED	R. P. O.	SHEET
			7				P	F	245	4.00
7-31-56		RELEASED	8502						315	4.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.	6-20-56	3/3	0000		







KICKDOWN SWITCH

						NAME PASSENGER CAR INSTRUCTION MANUAL					
		<u> </u>	- 			REF.	DRAWN		R. P. O.	SHEET	
<u> </u>		· · · · · · · · · · · · · · · · · · ·					P	F	215	5.00	
7-31-56		RELEASED	8502	L	<u> </u>		PART No.	36500	313	J.00	
	SYM.	REVISION RECORD	AUTH.	DR.	CK.	6-20-56	l	30300]	

V-8





	10	L D." ADDED			F	NAME DA	SENGER CAR	INSTRUCTION	MARKAI	
1-2-57	9	PART ADDED	6527					RESIRUCITOR	MARTURE).
	8	VIEW REVISED			1	REF.	DRAWN	CHECKED	R. P. O.	SHEET
		VIEW REVISED				1	V	i r		
12-11-56	8	REDRAWN	5883			DATE	PART No.		300	100
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CX.	6-6-56	373	6500	224	1.00
									i	4




HYDRAULIC STEERING

						NAME PA	SSENGER CA	AR INSTRUCTION	ON MANUAL	
							DRAWN	CHECKED	R. P. O.	SHEET
9-21-56 7-31-56		WAS 1119171 RELEASED	3977 8502		WF	DATE	PART No.	736500		1.00
	SYM.	REVISION RECORD	AUTH.	DR.	CK.	5-26-56		/ 3 6 3 0 0		





R.P.O. 410



MODELS ALL

HOSE SHIELDS

						NAME PASS	ENGER CAR	INSTRUCTION M	ANUAL	· · · · · · · · · · · · · · · · · · ·
						REF.	DRAWN	CHECKED	R.P.O	SHEET
3-11-57	2	REDRAWN & REVISED	8117		F	DATE	PART No.	<u> </u>	139 <i>4</i>	2.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.	5-31-56		36500		



POWER STEERING BLEEDING INSTRUCTION

A OR B OPTIONAL

A BENCH

REFER TO RPO 324, SHEET 1.00

- 1 LINKAGE UNIT TO BE COMPLETELY ASSEMBLED INCLUDING INLET AND OUTLET HOSES
- 2 CONNECT THE AUTOMATIC TRANSMISSION FLUID SUPPLY UNDER PRESSURE TO OUTLET HOSE ASSEMBLY, PLACE INLET IN A RECEPTACLE THAT WILL CATCH ANY OIL THAT MAY BE FORCED OUT.
- 3 OPERATE VALVE BY MOVING THE PITMAN ARM BALL STUD AND MAKE AT LEAST ONE COMPLETE STROKE OF THE PISTON WITH VALVE IN EACH POSITION.
- 4 SYSTEM WILL BE BLED WHEN A CLEAR STREAM OF FLUID WITHOUT AIR BUBBLES COMES OUT OF THE INLET HOSE.

B ON THE COMPLETED VEHICLE

- 1 JACK UP CAR UNTIL FRONT WHEELS ARE CLEAR.
- 2 FILL PUMP WITH FLUID.
- 3 RUN ENGINE 5 TO 10 SECONDS WITH WHEELS IN STRAIGHT AHEAD POSITION
- 4 REFILL PUMP WITH FLUID.
- 5 RUN ENGINE FOR A FEW SECONDS AND TURN WHEELS IN BOTH DIRECTIONS AGAINST STOPS.
- 6 REFILI PUMP WITH FLUID.

IT E VERY IMPORTANT THAT THE WHEELS BE OFF OF THE GROUND WHEN BLEEDING, SINCE UNDER LOADED CONDITIONS THE OIL IS INJECTED INTO THE CYLINDERS UNDER EXTREMELY HIGH PRESSURE AND WILL CAUSE FOAMING. THIS CONDITION CAN BE DETECTED BY THE PUMP BEING NOISY. THE AIR WILL BLEED OUT AFTER 2 TO 3 HOURS OF STANDING.


MODELS


ALL

HYDRAULIC STEERING BLEEDING

						NAME PASSE	NGER CAR INS	TRUCTION MA	NUAL	
						REF.	DRAWN	CHECKED	R.P.O.	SHEET
7-31-56		RELEASED	8502				PART No. 3 7 3	6500	324	3.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.	5-26-56	3,3			


14-18 LBS. FT. 15-20 LBS. FT.







GENERATOR

	11	WAS 103320			F	NAM	PΛ	SSENGED CA	R INSTRUCTION	MANUEA	
	10	WAS 100122	681						THE STRUCTURE	MANUA	•
	9	NOTE ADDED	9251			REF.		DRAWN	CHECKED	R.P.O.	SHEET
	8	NOTE ADDED							P F	004	400
7-22-57	7	REDRAWN	7717	P		DATE		PART No.		324	4.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.		5-31-56	3	736500		









4-30-57		NOTE ADDED	9885		F	NAME PA	SSENGER CAS	INSTRUCTION	MANUA	l
	8	WAS 28-33 LBS, PT.			F				Manual Control	•
	7	WAS 2 120369 NUTS 4				NEF.	DRAWN	CHRCKED	R.P.O.	SHEET
		1 120382 LW				1	ł ,	d ı	ام حماء	
1-16-57	- 5	REDRAWN	4635	V		DATE	PART No.		324	6.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK	5+31+56	37	36500	Γ- 1	


-3710371 SEAL








4-30-57		NOTE ADDED	9885		F	NAME PA	SSENGER CAS	INSTRUCTION	MANUA	l
	8	WAS 28-33 LBS, PT.			F				Manual Control	•
	7	WAS 2 120369 NUTS 4				NEF.	DRAWN	CHRCKED	R.P.O.	SHEET
		1 120382 LW				1	ł ,	d ı	ام حماء	
1-16-57	- 5	REDRAWN	4635	V		DATE	PART No.		324	6.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK	5+31+56	37	36500	Γ- 1	

-3710371 SEAL










3-25-	57	20	WAS \$737323	280		M	NAME PA	SSENGER CAR INSTRUCTION	MANUA	
	$-\mathbf{I}$		R. P. O. 302 ADDED			٠				
	_1		\$721372 REMOVED	6698			Mer.	DRAWN CHECKED	R.P. O.	arma:
		17	WAS 121163					V: Y	222	400
3-15-	57	16	REDRAWN	418			DATE	PART No.	330	1.00
DATE		SYM.	REVISION RECORD	AUTH.	DE.	Œ.	6-12-56	3736500		




VIEW B V-8 ONLY


MODELS ALL

SEAT ELECTRICAL CONTROL

							NAME	PASSENGER CA	R INSTRUCTION	MANUAL	•
							REF.	DRAWN	CHECKED	R, P, O.	SHEET
8-25-56	1	REDRAWN & REVISED	3219	3101	v	F	DATE	PART No.	0.4.5.0.0	1397	1.00
DATE	SYM.	REVISION RECORD		AUTH.	DR.	CK.	5-15-9	3 /	36500	<u>. </u>	



4-2-57	3	CALLED OUT PARTS & NOTE		ļ	<u>F</u>	NAME PA	SSENGER CAR	INSTRUCTION	MANUAL	
		REMOVED			_	REF.	DRAWN	CHECKED	R. P. O.	SHEET
1-28-57	2	PART ADDED	6703		F	1	v	F	410	400
11-26-56	1	REDRAWN & REVISED 5452	3460		F	DATE	PART No.		1 44	1.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	ď	6-16-56	373	86500	4 11	




AIR CONDITIONING


							NAME PASSE	NGER CA	INSTRUCTION	MANUAL	
7-12-57	9	WAS 103127		681		F	REF.	DRAWN	OHOED	R.P.O.	SHEET
4-22-57		WAS 30 30'	1		<u></u>	F			»	- 440	
3-25-57	7	REDP IWN & REVISED	8292	470	1	F			<u>.</u>	-410	900
			459	443	V			PART No.	3736500	411	2.00
DATE	SYM.	REVISION RECORD		AUTH.	OR.	CK.	6-11-56			7 11	

MODELS RPO 410

ALL



		WAS 103373			F	NAME PA	55ENGER CÁR	INSTRUCTION	I MANUAL	
L	12	WAS 103025							15 5 2	
7-11-57	Ιu	WAS 410224	681			MB.	DEAWN	CHRCKED	- 440	54E1
	10	3732487 WAS 2 STUDS	[V	F		Į v		FI 41 01	200
3-25-57	9	REDRAWN	253			DATE	PART No.		T :::	3.00
DATE	SYM	REVISION RECORD	AUTH.	DR.	CK.	6-16-56	37:	16500	411	




RPO 411


CARBURETOR LINKAGE ADJUSTMENT

MODELS

RPO 410-ALL RPO 411-ALL EXCEPT SEDAN DELIVERY

	_				F	NAME PAS	SENGER CAR	NSTRUCTION A	ANUAL	
:		VIEW REVISED			F	REF.	DRAWN	CHECKED	R.P.O.	SHEET
7-31-56		OVERDRIVE RPO-411 REMVD. RELEASED	3460 8502		┝	DATE	PART No.		410	4.00
DATE	SYM	REVENON RECORD		DR.	α	6-11-56	37	36500	411	7.00





DATE

SYM.


REVISION RECORD


3736500

6-15-56

DR. CX.


AUTH.






VACUUM POWER BRAKE

						NAME PA	SSENGER CAR	INSTRUCTION	MANUAI	
						REF.	DRAWN	CHECKED	R. P. O.	SHEET
7-31-56		RELEASED	8502			DATE	PART No.	L	412	1.00
	SYM.	REVISION RECORD	AUTH.	DR.	CK.	5-4-56	373	6500		




BRACKET MOUNTING TO DASH


						NAME PA	SSENGER CAR	INSTRUCTION	MANUAL	•
						REF.	DRAWN V	CHECKED F	R. P. O.	SHEET
7-22-57	3	REDRAWN & REVISED	681	P	F	DATE	PART No.		412	2.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.	6-14-56	37	36500		



						NAME PA	SSENGER CAR	INSTRUCTION	MANUA	
						REF.	DRAWN	CHECKED	R. P. O.	SHEET
	8	WAS 106279			F		V	F	440	200
7-22-57	7	REDRAWN	681	P	<u></u>		PART No.		412	3.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.	6-14-56	37	36500		




E						Ĺ	NAME BASSE	LOSE FAR INCL	RUCTION MAN	441	
ļ		Ĺ ĺ		ļ		;	 				
ŀ			770/0]	Ь.	<u> </u>	iref.	DRAWN	CHECKED	Ř P.Cr	5H661
ŀ	7-22-57	_" -	NO'S. ADDED	4.00		F			<u>_</u>	440	4.00
ŀ	1-66-31	-	REDRAWN	137	-		1	PART No 27		* 1 Z	4.00
Į	DATE	SYM.	REVISION RECORD	AUTH	DR.	CK.	6-19-56	3,	3 6 5 0 0		



BRAKE LINE , HOSES & CYLINDER ASSEMBLY


AUTOMATIC TRANSMISSION


						NAME P	SSENGER	CAR	INSTRUCTION	ON	MANUA	
12-18-56	2	WAS 3732850 WAS 3733591	137	v	F	REF.	DRAWN	v	CHECKED	F	412	5.00
7-31-56		RELEASED	8502			DATE	PART No	37	36500		412	3.00
	SYM.	REVISION RECORD	AUTH.	DR.	CK.	6-14-56	<u> </u>					



MODELS ALL

		444041 OPTSON REM'D	5933		7	NAME	PASSE	IGER CA	-	TRUCTION MA	MIAI	
1	3	PART ADDED		Г	\Box						-	
1-3-57	3	WAB 3700156	5861			REF.		DRAWN	1	CHECKED	R.P.O.	SHEET.
10-11-66	. 1	WAS 3720174	4265	7		1			P	1	1 444	400
7-31-56		RELEASED	6502	广	\vdash	DATE		PART No			141/	1.00
DATE	SYM.	REVISION RECORD	AUTH	DR.	σ	1 °	-16-56		3 7	36500		







MODELS ALL


WINDOW ELECTRICAL CONTROL

							NAME PA	SSENGER CAR	INSTRUCTION	MANUAL	
					\vdash			DRAWN		R, P. O.	SHEET
0.05.50	Ţ	REDRAWN & REVISED	3219	3101	v	F	DATE	PART No.	F	426	1.00
8-25-56 DATE	SYM.	REVISION RECORD	3618		DR.		- 4	37	36500		






(TYPICAL EACH SIDE)




VIEW B



MODELS

ALL EXCEPT SEDAN DELIVERY & STATION WAGON

<u> </u>					<u> </u>	NAME PA	SSENGER CAR INSTRUCTION	MANHAM	
7-25-57	3	ALEM YDDED	733	P	E	<u> </u>		- NO-040-	
5-13-57	2	WAS 1513769	9629			1905 .	DRAWN CHROKED	n.r.a.	986
1-28-57	1	WAS 1.64			F	1	l vi i	ا ـ ا	
11-26-58		RELEASED	100	٧		DATE	PART No.	7479 1	1.00
DATE	SYM.	REVISION RECORD	AUTH,	DR.	Œ.	1 .	3734500	' ' "	




NAME PLATE & EMBLEM SHEET 2.01 MODELS


ALL EXCEPT SEDAN DELIVERY

FUEL INJECTION

			Ι	17	-	NAME PA	SSENGER CAR	INSTRUCTION	MANUAL	
2-20-57	3	NOTE ADDED	371	· V	<u> </u>	REF.	DRAWN	CHECKED	R. P. O.	SHEET
	1	NOTE ADDED	1		ļ		.,,	F		
1-28-57	1	NOTE REVISED	6813				V	<u> </u>	578	1.00
10-22-56		RELEASED	3750			DATE	PART No.		J / O	1.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.	9-13-56	37	36500		



						NAME PA	SSENGER CAR	INSTRUCTION	MANUAL	
	10	NOTE REVISED WAS 3745180			F	REF.	DRAWN	CHECKED	£ P. O.	SHEET
4-9-57	В	REDRAWN	535	٧		DATE	PART No.		578	2.00
DATE	SYM.	REVISION RECORD	AUTH	OR.	Œ	9-17-56	373	6500	- , -	




				<u> </u>	Ŀ	<u> </u>	BEAMOI	CHECKED	R. P. O.	GEST
						Juan.	DRAWN			
					T	1	v	r	r 70	0.04
1-28-57		RELEASED WAS ON SHT. 2.00			F	DATE	PART No.		12 / BI	2.01
			21002	-	1	7 1	3.7	3 6 5 0 0	1 1	1
DATE	SYM	REVISION RECORD	AUTH.	DR.	СМ.	12-12-56				

EMBLEM TO BE FORMED TO PENDER SURFACE SHAPE ON


BLOCK BEFORE ASSY-

5 HOLES, EACH PENDER

\$0-25 LBS. FT.









MODELS ALL EXCEPT EXDAN DELIVERY

					F	HAME PASSENGER CAR INSTRUCTION MANUAL	
4-30-57	ī	NOTE REVISED	9574	V	-	DRAWN CHECKED R. P. C. SHEET	П
2-20-57 DATE	SYM	RELEASED 7305 REVISION RECORD	AUTH.	OR.	Œ.	DATE PART No. 3736500 578 2.02	١.




FUEL INJECTION - LINKAGE


4	NO, ADDED			7	MAME PA	SSENGER CAR INSTRUCTION	MANUAL	
7-25-57 2	WAS 3742207 WAS 3742204	417		-	NO.	SEAWN CHECKS	2.0.0	366
4-12-57	174210 PRING REMOVED	305	Y	I		<u> </u>	570	3.00
10-23-64	RELEASED	3750				PART No. 3734500	12,4	0.00
DATE SYM	REVISION RECORD	AUTHL	DR.	Œ.	9-19-56	3,30300		



4 SEC	TION D-D ADDED	517	-	F	PA	SSENGER CAR INSTRU	CTION MANUA	
	W ADDED				注	DRAWN CHECKS	D REO	SHEET
	NESS REROUTED	8036	V		1	l vl	P	•
11-15-56 1 REI	RAWN & REVISED	5499	V	T	DATE	PART No.	57R	4.00
DATE SYM.	REVISION RECORD	AUTH.	DR.	α	9-19-56	373450	0	7.00




						NAME PASSENGER C		R CAR INSTRUCTION MANUAL				
7-11-57	7	WAS 140586	681		F	REF.	DRAWN	CHECKED	R. P. O.	SHEET		
	6	PART & NOTE ADDED	104	_	F	5.45	V V	1	578	5.00		
3-11-57 DATE	SYM.	REDRAWN REVISION RECORD	464 AUTH.	De	CK.	DATE 9-19-56	PART No. 3 7	36500	امرا	3.00		



MODELS ALL EXCEPT SEDAN DELIVERY

FUEL INJECTION - LINKAGE ADJUSTMENT

	,					NAME PASSENGER CAR		INSTRUCTION	INSTRUCTION MANUAL			
4-12-57	1	SPRING REMOVED	305	v	F	REF.	DRAWN V	CHECKED F	R. P. O.	SHEET		
10-22-56		RELEASED	3750		F	DATE	PART No.	L	578	6.00		
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CK.	10-2-56	373	36500				




PASSENGER CAR INSTRUCTION MANUAL

REF. DRAWN CHECKED F. P.O. SHEET

11-15-56 I REDRAWN & REVISION MECOND AUTH. DR. CK.

DATE SYM. REVISION MECOND AUTH. DR. CK.



41-26-50 1 WAS 1518678

10-22-56

DATE

RELEASED

REVISION RECORD

4626

3750


AUTH.


98.

CX.

8.00

3736500








SEE LUBRICATION CHART SECTION 14

REAR AXLE-LIMITED SLIP


						NAME PASSENGER CAR INSTRUCTION MA				
						REF.	DRAWN	CHECKED	R.P.O. 675	SHEET
1-21-57		RELEASED	6700			DATE	PART No.		676	1.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CX.	1-11-57	37	36500	678	







		<u> </u>	<u> </u>		<u> </u>	NAME PA	SSENGER CAR	INSTRUCTION	MANUAL	
					_	REF. 3742140	DRAWN V	CHECKED F	L. P. O.	SHEET
9-4-57	2	REDRAWN & REVISED	3430	P	F	DATE	PART No.	•	1003	1.00
DATE	SYM.	REVISION RECORD	AUTH.	DR.	CX.	1-18-57		36500		




THIS NOTE APPLIES TO ALL
RECTIFIER UNITS & FOR BOTH
6 & 8 CYL, CARS

FOR USE IN CONJUNCTION WITH DEVIATION ON 3736500

DEVIATIONS FOR L.P.O. 1001


AUGUST 2,1957



MODELS 1503 - 2103

AMMETER LINIT-DOOR OPEN WARNING LAMP WIRING

			-	\Box	\vdash	NAME PASSENGER CAR INSTRUCTION MANUAL					
			1			***.	DRAWN CHECKED L.P.O. SHEET				
7-11-57		RELEASED	1541			DATE	MIT No. 1724 1003 2.00				
DATE	SYM.	GEVERON ERCORD	AUTHL	CA.	Œ	5_30	D-87 3736500 1003 2.00				



				-		NAME PASS	PASSENGER CAR INSTRUCTION MANUAL				
						REF.	DRAWN	CHECKED	~	L P. O.	SHEET
11-20-58	-	REDRAWN & REVISED			-	DATE	V	L	F .	1005	400
	SYM.	REVISION RECORD	AUTH.	DR.		7-19-56	PART No. 3 7 3	6500		1025	1.00