Cobra[®]

Cobra[®] **CP-9135**

FCC Information Included Accessories

Cobra Electronics Corporation 6500 West Cortland Street Chicago, IL60707

If You Think You Need Service

For technical assistance, please call our Automated Help Desk which can assist you by answering the most frequently asked questions about Cobra products. (773) 889-3087

24 hours a day, 7 days a week.

A Consumer Service Representative can be reached through this same number 8:00 am - 8:00 pm,Monday through Friday, CST.
Technical assistance is also available on-line in the Frequently Asked Questions (FAQ) section at www.cobraelec.com or by e-mail to productinfo@cobraelec.com

If you think you need service call 1.773.889.3087

"If your product should require fatory service please call Cobra first before sending your unit in. This will ensure the fastest turn-around time on your repair

You may be asked to send your unit to the Cobra factory. It will be necessary to furnish the following in order to have the product serviced and returned.

- 1. For Warranty Repair include some form of proof-of-purchase, such as a mechanical reproduction or carbon or a sales receipt. If you send the original receipt it cannot be returned.
- Send the entire product.
- 3. Enclose a description of what is happening with the unit. Include a typed or clearly print name and address of where the unit is to be returned.
- 4. Pack unit securely to prevent damage in transit. If possible, use the original packing material.
- 5. Ship prepaid and insured by way of a traceable carrier such as United Parcel Service (UPS) or First Class Mail to avoid loss in transit to: Cobra Factory Service, Cobra Electronics Corporation, 6500 W. Cortland St., Chicago, IL 60707.
- 6. If the unit is in warranty, upon receipt of your unit it will either be repaired or exchanged depending on the model. Please allow approximately 3 to 4 weeks before contacting us for status. If the unit is out of warranty a letter will automatically be sent informing you of the repair charge or replacement charge. If you have any questions, please call 1.773.889.3087 for

Cobra Electronics Corp.© 1998 Printed in China

Part No. 480-283-P-001


Operating Instructions for your Cobra CP-9135

Private Call® 900





"Ingenious Products for Easier Communication."



Registered with The FCC

Please note: This cordless phone operates under part 15 and part 68 of FCC rules.

Operation is subject to two conditions:

1.1t may not interfere with radio communications, and 2.1t must accept any interference received including that which may cause undesirable operation. See the Operational Features section of this manual for ways to reduce interference.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.

could void the user's authority to operate this equipment. MOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules The limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one of the following measures:

Reorient or relocate the receiving antenna.
 Increase the separation between the equipment and receiver.
 Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

- Consult the dealer or an experienced radio/TV technician for help.

Your telephone company is required by the Federal Communications Commission to allow you to connect FCC registered telephones to their lines.

you to connect HCZ registered telephones to their lines.

The FCC requires you to provide information, if requested by the local telephone company, about the connection of an FCC registered telephone to their lines. They may ask you for the FCC registration number and ringer equivalence number (REN), both of which are on the bottom of the base. They may also ask for the Universal Service Order Code (USOC) number which is R-I-10. It is lifegal to use this phone on a partyline or to connect it to a coin-operated telephone.

connect it to a coin-operated telephone.
The REN is used to determine the quantity of devices you may connect to the telephone lines Excessive RENs on the telephone line may result in the devices not ringing in response to an incoming call in most areas the sum of RENs should not exceed 5.0. To be sure, contact the local telephone company.
If your equipment causes harm to the telephone network, the telephone company will notify you in advance (if possible) of a temporary discontinuance of service. Also, you will be advised of your right to file a complaint with the FCC.

The telephone company may make changes in its facilities, equipment or procedures that could affect the operation of your equipment. The telephone company will provide advance notice to help you maintain uninterrupted service.

What's Included with Your CP-9135

Headset

2 AC/DC Power Adapter

3. Memory Label

4. Line Cords (6"and 6', four conductor)

5 Belt Clip

6. Belt Clip Slot Cover

Wall Mount Bracket

8 Handset Battery



Controls and Indicators

Our Thanks to You

Base:

1. Line 2 Jack

2. Line 1 and 2 Jack

3. Power Input

4. Line 2 Ringer On/Off Switch

5. Line 1 Ringer On/Off Switch

6. Tone/Pulse Switch

7. Mute Button And

Mute Indicator

8. Line 1 Button And In Use Indicator

9. Line 2 Button And In Use Indicator

10. Conference Call Button

11. Charge Indicator

12 Intercom Indicator

13. In Use Indicator

14. Power On/Off Indicator

15. Redial/Pause Button

16. Memory Button17. Flash Button

18. Hold Button

19. Intercom Page/Find Button

20. Speakerphone Button

1 2 3 4 5 6

Cobra:
Private Gall 900

T W 1 5 6

T W 2 7 8 9

T W 2 7 8 9

T W 2 7 8 9

T W 2 7 8 9

T W 2 7 8 9

T W 2 7 8 9

T W 2 7 8 9

T W 2 7 8 9

T W 2 7 8 9

T W 2 7 8 9

T W 2 7 8 9

T W 2 7 8 9

T W 2 7 8 9

T W 2 7 8 9

T W 2 7 8 9

T W 2 7 8 9

T W 2 7 8 9

T W 2 7 8 9

T W 2 7 8 9

T W 2 7 8 9

T W 2 7 8 9

T W 2 7 8 9

T W 2 7 8 9

T W 2 7 8 9

T W 2 7 8 9

T W 2 7 8 9

T W 2 7 8 9

T W 2 7 8 9

T W 2 7 8 9

T W 2 7 8 9

T W 2 7 8 9

T W 2 7 8 9

T W 2 7 8 9

T W 2 7 8 9

T W 2 7 8 9

T W 2 7 8 9

T W 2 7 8 9

T W 2 7 8 9

T W 2 7 8 9

T W 2 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7 8 9

T W 3 7

4 5 6

(j) (j) (j)

* (0 #

2 0 0 S

Customer Support

Should you encounter any problems with the product or not understand its many features, please refer to this owner's manual. If, after referring to the manual, you still need help, call Cobra Customer Service at 773.889.3087.

Thank you for purchasing the Cobra CP-9135 cordless phone. Properly used, this Cobra prod-

uct will give you many years of reliable service.

Cobra Customer Service

Live operators are available M-F 8:00 am - 8:00 pm CST at: 773.889.3087. Automated Technical Assistance available by phone 24 hours a day, seven days a week.

E-mail questions to: productinfo@cobraelec.com

Cobra on the World Wide Web: Frequently Asked Questions (FAQ) can be found on-line at: www.cobraelec.com



21. Headset Jack22. Line 1 In Use Indicator

26. Line 1 Button

29. Line 2 Button

30. Talk Button

31. Flash Button

34. Memory Button 35. Hold Button

27. Intercom Button

23. Low Battery Indicator

24. Line 2 In Use Indicator

28. Conference Call Button

32. Redial/Pause Button
33. Channel Button

25. Volume Up/Down Buttons 25



How to Use Your Cobra CP-9135 900 MHz **Cordless Telephone**

Contents
Features1
FCC Information/Included Accesories A1
Controls & Indicators
Our Thanks to You
Customer Support
Important Safety Instructions2
Installation
Quick Set-Up Guide4
Wall Mounting Instructions8
Operating Your CP-9135
Real Time Line Status/Base & Handset10
Answering Calls From The Handset12
Answering Calls From The Base14
Placing Calls From The Handset16
Placing Calls From The Base17
Channel Selection
Flash
4 Level Volume Control20
Learing Aid Compatibility 20
Hearing Aid Compatibility20 Mute21
Last Number Instant Redial21
Last Number Instant Regial22
Last Number Delay Redial23
Memory Number Storage24
Memory Number Dialing26
To Find The Handset27
Intercom Mode From The Handset28
Intercom Mode From The Base29
Hold Button31
Conference Calling From The Handset And Base32
Ringer Switch34
Tone/Pulse34
Handset Battery Recharging35
Private Call® Scrambling36
Battery Saver37
Replacing Handset Battery38
Disposal of The Battery39 Headset Operation/Belt Clip/Slot Cover40
Headset Operation/Belt Clip/Slot Cover40
Cleaning The Charging Contacts41
Troubleshooting42
Frequently Asked Questions
Limited One-Year Warranty 47

Limited One-Year Warranty Accessories and Order Form If You Think You Need Service

Features of This Product

- · Private Call® Voice Scrambling -Base and Handset
- Headset for Hands Free Operation
- 900 MHz Extended Range
- Detachable Belt Clip
- 30 Channel Autoscan
- · Clear Call® PLUS Compander
- Ten (10) Number Memory
- Handset Volume Control
- Page/Find
- Mute Button
- Fourteen (14) Day Stand-By
- Wall Mountable
- · Last Number Redial
- Hearing Aid Compatible
- Auto Answer
- Auto Stand-By
- Audible Battery Low Indicator
- Replaceable Handset Battery
- Tone/Pulse Switch on Base and Handset
- Secur-Loc[™] 65,000 Security Codes
- Base Speaker Phone
- Base Keypad
- Intercom

.....4748Back Cover

1

- Hold on Base and Handset
- Two Line Operation with
- Conferencing • Distinct Ring for Each Line
- Real Time Line Status/ Base and Handset



Important Safety Instructions

Important Safety Instructions

When using your telephone equipment, basic safety precautions should always be followed to reduce the risk of fire, electric shock and injury to persons, including the following:

- Read and understand all instructions.
- Follow all warnings and instructions marked on the product.
- Unplug this product from the wall outlet before cleaning. Do not use liquid cleaners or aerosol cleaners. Use a damp cloth for cleaning. Do not locate base unit near water, for example, near a bath tub, wash bowl, kitchen sink, or laundry tub, in a wet basement or near a swimming
- Do not place this product on an unstable cart, stand or table. The product
- Do not piace this product on an unstable cart, stand or table. The product may fall, causing serious damage to the product.

 Slots and openings in the cabinet and the bottom or back are provided for ventilation, to protect it from overheating these openings must not be blocked or covered. The openings should never be blocked by placing the product in the bed, sofa rug or other similar surface. This product should never be placed near or over a radiator or heat register. This product should not be placed in a built-in installation unless proper ventilation is
- This product should be operated only from the type of power source indi-cated on the marking label. If you are not sure of the type of power supply to your home, consult your dealer or local power company.
- Do not allow anything to rest on the power cord. Do not locate this product where the cord will be abused by persons walking on it.
- Do not overload outlets and extension cords as this can result in the risk of fire or electric shock.
- Never push objects of any kind into this product through cabinet slots as they may touch dangerous voltage points or short out parts that could result in a risk of fire or electric shock. Never spill liquid of any kind on the
- product.

 To reduce the risk of electric shock, do not disassemble this product, but take it to qualified servicemen when service or repair work is required. Opening or removing covers may expose you to dangerous voltages or other risks. Incorrect reassembly can cause electric shock when the appliance is subsequently used.
- Avoid using telephones (other than a cordless type) during an electrical storm. There may be a remote risk of electric shock from lightning.
- 13. Do not use the telephone to report a gas leak in the vicinity of the leak.
- Unplug this product from the outlet and refer servicing to qualified service personnel under the following conditions:

 A. When the power supply cord or plug is damaged or frayed.
- B. If liquid has been spilled into the product.

2

- C. If the product has been exposed to rain or water.
- o. 1 me product nas oeen exposed to rain or water.
 D. If the product does not operate normally by following the operating instructions. Adjust only those controls that are covered by the operating instructions because improper adjustment of other controls may result in damage and will often require extensive work by a qualified technician to restore the product to normal operation.

- E. If the product has been dropped or the cabinet has been damaged.
- F. If the product exhibits a distinct change in performance
- Never install telephone wiring during a lightning storm.
- Never install telephone jacks in wet locations unless jack is specifically designed for wet locations.
- Never touch uninsulated telephone wires or terminals unless the telephone line has been disconnected at the network interface

To reduce the risk of fire or injury to persons, read and follow these instruc

- A. Use only the battery pack supplied with the unit or identical replace-
- B. Do not dispose of battery pack in a fire. The cells may explode. Check with local codes for possible disposal instruction.
 C. Since released electrolyte is corrosive and may cause damage to eyes or skin and may be toxic if swallowed:
 - C1. Do not open or mutilate battery pack.
 - C2. Always replace the entire battery pack rather than reusing one or
- C3. Do not expose batteries to heat or flame.
- D. Exercise care in handling the battery pack in order not to "short" the battery contacts with conducting materials such as rings, bracelets, and keys. The battery or conductor may overheat and cause burns.
- E. Charge the battery provided with or identified for use with this product only in accordance with the instructions and limitations specified in this manual.

Save These Instructions




Installation Installation

Quick Set-Up Ğuide

Quick Set-Up Guide





lote


The battery must be charged at least 12 hours before use.

Replacement batteries are available direct from Cobra. See Accessories section on page 48.

Use only with Class 2
Power Source
12 VDC 500mA


Install Ni-Cad battery in the handset.
 To remove the battery door, press and slide downward.

Observe connection orientation, connect the battery and replace the door. The Low Bar indicator will blink until the handset is placed in the base and power is applied to the base.



2 Connect power adapter in outlet.

4



3 Connect round connector into power jack on base. indicator on base will flash rapidly.



- ◆ Place handset on base so indicator lights. In Use indicator will stop flashing.
- **5** *Raise* antenna to vertical position.

continued



tion				
4	+			

Installation

Installation

Quick Set - Up Guide

Quick Set-Up Guide continued




5 *Plug* 6' phone cord into two line wall jack.

Charge batteries for 12 hours before first use.


If your home has separate Line 1 and Line 2 wall jacks, you will need to either use an additional line cord or two line splitter.

6





6 Plug phone cord into Line 1-2.




Installation Installation


Wall Mounting Instructions

If you do not have a wall mount, contact your local phone company for installation of phone line and wall mount.

Wall Mounting Instructions




Plug 6"phone cord into Line 1-2 jack on rear of base.



2 Slide wall mount bracket onto base.

8


3 Thread cord through slot in wall mount bracket.




4 Plug phone cord into two line wall jack.

9

- **5** *Slide* base down on wall plate.
- 6 Raise antenna to vertical position.






Operation

Operation


Real Time Line Status/ Base & Handset

Real Time Line Status/Base & Handset

Your Cobra CP-9135 has Real Time Line Status between the base and the handset. More simply put, this means that at either location - handset and base - you can easily see the status of your 2 Line phone system.



 When observing either the handset or the base unit you will instantly know whether Line 1 or Line 2 (or possibly both lines) are in use, or



- 2 Line 1 or Line 2 will flash if there is a line on hold, or
- 3 If another branch phone is being used Line 1 or Line 2 will blink twice repeatedly.

Communication between the base and the handset is virtually instantaneous.





+			
<u></u>			


Operation

Operation

Answering Calls From The Handset

From The Handset Each line on the CP-9135 has a distinctive "ring" and the Line 1 or Line 2 LED will illuminate.

To answer a call while handset is away from



Note

When answering a call, the Line 1 or Line 2 LED will illuminate. It will be displayed on both the handset and the base during the duration of the call.

Note

If both lines are flashing, you have the option to choose either line. Select line to answer. To answer other line, put first line on HOLD;push and release other line. Talk.

2 Push and release illuminated line button.

When call is completed:



Return handset to base or push and release the Talk button.

Phone automatically disconnects.

To answer a call while handset is in base:

- 1 Pick up handset.
- Phone will automatically answer incoming call, or
- If both lines are ringing, auto answer will answer Line 1.

When call is completed:



Return handset to base or *push* and release the (Talk) button.

Phone automatically disconnects.





Operation

Operation

From The Base

or Line 2 LED will illuminate. It


will be displayed on both the

duration of the call.


Note

Answering Calls Answering Calls From The Base

To answer a call on either line from the base use the Speakerphone feature:




• or will flash.



2 Push and release button or flashing line button.

3 Talk.

When call is completed:



Phone will automatically disconnect.

If both lines are flashing, you have the option to choose either line. Select line to answer. To answer other line, put first line on HOLD; push and release other line. Talk



You can only end the call from the base by pushing and releasing the button.







Operation

Operation


Placing Calls From The Handset

If you have pulse phone service, use the (*) button to change from pulse to tone dailing.


Note

Placing Calls From The Handset

Pick up handset:




Push and release or to select line, or




- Push and release (Talk) button to automatically select Line 1 or the unused line.
- 3 Wait for dial tone and then place your call.

Placing Calls From The Base



Push and release or to select line, or



- B Push and release button to automatically select Line 1 or the unused line.
- Wait for dial tone and place your call from the base keypad.

16



Placing Calls From The Base



Operation

Questions section on page 46 for more information about

Operation


Channel Selection

Note

interference.

Channel Selection

Should you experience interference:



Push and release button.

The CP-9135 will scan for and advance to a clearer channel when you *push and release* the button.

- Two double beeps will indicate a successful channel change.
- If three beeps are heard the channel change was not successful. Move closer to base and press and release Channel button again.

Flash

3

handset or base PUSH & RELEASE 2)3 **9 (6**)

Push and release FLASH button to interrupt the phone line to access features such as:

• Call Waiting

- Three Way Calling

that might be offered by your phone company.

Secur - Loc™

An exclusive security measure to protect your phone from being accessed by another cordless phone. Secur-Loc™ activates automatically every time your handset is placed in the base.

Flash

Secur-Loc[™]






Operation

Operation

4 Level Volume Control

4 Level Volume Control



Your CP-9135 has a four level volume control on the side of the handset.



To raise or lower the volume, push the UP arrow for higher volume; push the DOWN arrow for lower volume.


Hearing Aid Compatibility

Hearing Aid Compatibility

The CP-9135 handset is compatible with inductively coupled hearing aids (HAC).

Mute

Your CP-9135 features a MUTE button on the base. While in a conversation:



Push and release the button, which shuts off the base microphone. The will illuminate on the base. You will still be able to hear your caller but they will not be able to hear you or a conversation you might be having.

Push and release the button again to rejoin the conversation. The will go off on the base.

20



/	1	11	•	•



Operation

Operation


Last Number **Instant Redial**

Last Number Instant Redial


Each time you dial a number, that number is stored in the REDIAL memory. Up to 32 digits can be stored. To recall the number after receiving a busy signal:

handset

or base



- 1 Push and release FLASH button.
- 2 Listen for dial tone.




- 3 Push and release REDIAL/PAUSE button.
- 4 The number will be redialed.

Last Number Delayed Redial

If steps 1,2 and 3 from the "Last Number Instant Redial" still result in a busy signal, hang up. If you would like to try again in a few minutes, *push and release* TALK button for dial tone, then:

handset




- **3** Push and release REDIAL/PAUSE button.
- 4 The number will be redialed.

22

23

Last Number Delayed Redial




Operation


Operation

Memory Number Memory Number Storage Storage

The CP-9135 will store up to 10 frequently called




Push and release button once.



2 Enter digits of number to be stored (up to 16).



3 Push and release button again. There will be 2 double beeps.



4 Assign memory position by entering keypad number from 0 to 9.

There will be 2 double beeps to confirm number storage.

Repeat for additional numbers to be stored

To store numbers from the base follow the same proceedure used for the handset.

1. You may also use the 💿 button in memory to temporarily change from pulse to tone dialing.

2. The REDIAL/PAUSE button in memory enters a 3 second delay.

Enter name beside MEMORY number on the memory label provided with the unit.





Operation

Operation


Memory Number Memory Number Dialing Dialing

Memory dialing from base uses same procedure as handset.

1 Access a line.




2 Push and release button once.



3 Pushand release keypad number, (0-9), you assigned for that phone number. The phone will dial that number automatically.


To Find The Handset

The handset can be located when it's away from the base. To locate the handset:



1 Push and release button.

The handset will beep for 30 seconds, allowing time to locate the handset.



2 If you wish to stop beep tones *push* and release (Talk) or buttons, wait 2 seconds, push and release again or, push and release page in the state of the page in the p button on base.









Operation

Operation


Intercom Mode From The Handset

Note

Intercom may be initiated from either the handset or the base.


Intercom Mode From The Handset

Your CP-9135 can serve as an intercom between the base and the handset. To utilize this feature:



Push and release will illuminate.

| Meteor | Description | Descrip



- ② The and and below LED will light on the base. Four beeps will emit from the base.

 The below and below the base.

 The below and below the base.

 The below the base is a second to be the base.

 The below the base is a second to be the base.

 The below the base is a second to be the base.

 The below the base is a second to be the base.

 The below the base is a second to be the base.

 The below the base is a second to be the base.

 The below the base is a second to be the base.


 The below the base is a second to be the base is a second to be the base.

 The below the base is a second to be the base is a second to be the base.

 The below the base is a second to be the base is a second to be the base is a second to be the base.

 The below the base is a second to be the base is a second to be
- **3** Begin talking.

Intercom Mode From The Base





2 The Induced LED on handset will flash and handset will beep.

Intercom Mode From The Base

Note

To initiate INTERCOM while on a call, push and release button. Then push and release button button.

Proceed following INTERCOM instructions.

Note

Only the handset can end INTERCOMmode. Push and release button to end.






Operation

Operation

Intercom Mode From The Base continued



- The person using the handset should push and release the button.
- Begin talking.

Hold Button On The Handset and Base

- Push and release HOLD button to put a party on hold to answer other line or to prevent other party from hearing you. The line LED on base and handset will blink.
- To release HOLD *push and release* the line button that is illuminated on the base or pick up a branch phone on the same line.

Hold Button On The Handset and Base

Noto

When parties are on hold, both Line 1 and/or Line 2 LEDs will be flashing. The INUSE LED will be illuminated on the base.





Operation

Operation

Conference Calling From Handset And Base

Conference calls can be initiated

from both the handset and the

Note


Conference Calling Using Both Lines

Your CP-9135 makes conference calls easy and


• Access a line. When the party is reached:

or base * (0 # PUSH & Memory Model
RELEASE

2 Push and release HOLD button.



handset or base



4 Dial other party. When party answers *push* and release CONF button.

All parties can now carry on a 3-way conversation.

4-way conferencing can be accomplished by using the handset and the base. To end a 4-way conference, handset and base must end the call.

To conference an incoming call while on a call,place current call on Hold and answer other call. Push and release CONF button on handset or base.

Note

To drop one party from the conference call, push and release the line button for the party you wish to keep. To end both conversations, push and release the (Talk) or buttons.






Operation

Operation

Ringer Switches Ringer Switches

When ringer switches are off you

RINGER ON/OFF switches are located on the base. One switch is for Line 1, the other is for Line 2.




When ON, each switch provides a distinct ring for each line. When set to OFF, no ring will sound from the base or handset.

Tone/Pulse

Tone/Pulse

The CP-9135 can be used either as tone or pulse, depending upon your phone service.



Handset Battery Recharging

When the handset battery needs recharging:




Low Batton handset will flash and 2 beeps will be heard every 30 seconds for 2 minutes. Return to base for recharging. Handset will shut off at the end of the 2 minute period, terminating a conversation if the handset is in TALK mode.

Handset Battery Recharging

Replacement batteries are available from Cobra. See Accessories section on page 48.







Operation

Operation

Private Call®
Voice Scrambling

Private Call* Voice Scrambling

Private Call* prevents other cordless phones or scanners from understanding your conversations.

Battery Saver

Handset may, in OFF position, remain away from base for up to 14 days.

Duration of battery charge depends upon actual use of phone.

Battery Saver





Operation

Operation


Replacing Handset Batteries

Note

Replacement batteries are available direct from Cobra. See Accessories section on page 48.

Replacing Handset Batteries

The rechargeable NiCad battery in your cordless phone may need to be replaced if the handset will not function when the TALK button is pressed after recharging for 12 hours.



- To remove the battery door, press and slide downward.
- Carefully disconnect the battery pack and dispose of it properly. See Battery Disposal below.
- To replace, observe connection orientation and connect the new battery and replace the door. Return the handset to the base and charge the battery overnight (at least 12 hours).

Handset Battery Disposal

The rechargeable nickel cadmium (NiCad) battery in this product must be recycled or disposed of properly in compliance with all applicable laws. It may not be thrown in the trash. Certain states or municipalities require recycling and have established collection programs. Please contact your local waste removal authority for instructions, or return to Cobra for recycling. Wrap batteries carefully and mail postage prepaid to: Cobra Electronics Corporation,6500 W. Cortland Street, Chicago, Illinois 60707, Attn: Battery Recycling.

Or contact the Rechargeable Battery Recycling Corporation (RBRC) at 1-800-8BATTERY for a local recycling center near you. For more information about battery recycling, the RBRC has a web site at: http://www.RBRC.com

DO NOT PUT BATTERIES INTO FIRE OR EXPOSE TO HIGH HEAT. THEY MAY EXPLODE.

Handset Battery Disposal






Operation

Operation

Headset Operation


Headset Operation

The headset jack allows use of a headset with an earspeaker and boom microphone.



Cleaning The Charging Contacts

Clean the two metal charging contacts on both base and handset with a soft dry cloth on a regular basis.



Cleaning The ChargingContacts

To Remove The Belt Clip And Install The Slot Cover



1. Push the belt 2. Pull the belt clip lock tab clip up and out of the handset.



3. Put the slot cover in the slot and press down.

Plug the headset into the CP-9135 handset.



3 Use the belt clip for convenience.

Isopropyl alcohol may be used for more thorough cleaning.



2 Clean handset contacts.

CLEAN

CONTACTS

1 Clean base contacts.





Cobra Customer Serviæ

773.889.3087 24 hours a day, seven days a week

Troubleshooting

Frequently Asked Questions

Phone is dead

Are power adapter and phone cord connected?

Handset beeps during call or away from base Batteries need recharging; return handset to base.

Handset disconnectsloses performance and beeps three times when in use way from base Out of range or batteries need recharging. Move closer to base or recharge batteries.

Unable to make call because of interence Move closer to the base, access the line, select a new channel, and try moving back to your previous location.

Handset work work after power outage or disconnecting from AC pwer & reconnecting Return handset to base for thirty seconds to automatically match security coding.

Handset seems"dead"

Battery power has run out; return handset to base and charge for at least 12 hours. If handset still seems dead, unplug handset battery for 15 seconds and plug back in. Then place handset back on base for at least 5 minutes.

Memory dialing not working

Batteries need recharging; return handset to base. Re-enter memory numbers.

1. How long should the handset battery b charged?

Typically leaving the handset on the base overnight will charge the battery sufficiently.

2. How long can a battery last after a twelve hour charge?

After a twelve hour charge, the handset has typically 8 hours of continuous talk time, or 14 days in Live operators are available standby mode (when the phone is out of the base but not in use).

3. What is the range of my cordless phone? There is no way to easily answer this question as many factors affect the range of a cordless phone. In an open field, under ideal conditions, a 900 MHz cordless phone can have an effective

range of about 1200 feet.

Unfortunately, most cordless phones are used under conditions that are anything but ideal. The effective range of a cordless phone varies because of environmental and other conditions. Cordless phones and other 900 MHz devices may cause interference which may limit the effective range of your cordless phone. Changing the channel may help.

Aluminum siding can also have a dramatic effect on range. Try using your cordless phone in many locations in and around your home. Each situation presents different conditions under which the phone must work.

Cobra Customer Serviæ

M-F 8:00 am - 8:00 pm CST at: 773.889.3087. Automated Technical Assistance available by phone 24 hours a day, seven

E-mail questions to: productinfo@cobraelec.com

Cobra on the World Wide Web: Frequently Asked Questions (FAQ) can be found on-line at: www.cobraelec.com





Frequently Asked Questions

Frequently Asked Questions

4. Why do I sometimes have difficulty making a connection even though Im close to the base? There are several possible causes for this condition. Please try the following solutions to see where your problem lies.

First, make sure the base unit power adapter is connected to a working AC outlet. Make sure that you are within range of the base unit when pressing the TALK button. If this works, then you were trying to access the base from too great a distance. Other cordless phones in your house could be causing interference. Two or more cordless phones may interfere with each other's security codes. If you have two or more cordless phones in your house please disconnect all but the phone which is giving you the Out of Range signal. You can then reset the security codes by using the following procedure.

To reset the security code, remove the handset from the base. Remove the power cord from the base for 30 seconds. Replace the power cord to the base and replace the handset, making sure the charge light comes on. Wait another 30 seconds and the security code should be reset. Try the phone after resetting the security code-it should work fine. Your other cordless phones can still be used but they should be moved further apart or you may experience this problem again.

5. Why do I have static on my cordless phone? Your cordless phone works as a miniature radio transmitter and receiver. As such, it will pick up stray signals caused by other nearby appliances which emit radio signals and thus become a source of interference.

Some sources in a home that may cause noise and interference on a cordless phone are:

- other cordless phones
- fluorescent fixtures
- home appliances such as televisions, refrigerators, microwave ovens, home computers and baby monitors

In order to eliminate some of this interference it may be necessary to relocate the base unit of the cordless phone to a different location in your house. This solves two problems. First, you are fur- Cobra on the World Wide Web: ther from the source of interference and secondly the power adapter for the cordless phone will be plugged into an outlet, which most likely is on a different line than the appliance which is causing

If the noise persists after relocating the base, move closer to the base unit when talking on the phone. If the noise disappears, then it is most likely local interference being generated by a source outside your home, or a source inside your home strong enough to blanket your entire house such as a baby monitor. If you find that the noise and interference are equally strong throughout your house, your cordless phone may require service.

Cobra Customer Serviœ

Live operators are available M-F 8:00 am - 8:00 pm CST at: 773.889.3087. Automated Technical Assistance available by phone 24 hours a day, seven days a week.

E-mail questions to: productinfo@cobraelec.com

Frequently Asked Questions (FAQ) can be found on-line at: www.cobraelec.com





Frequently Asked Questions

Limited One Year Warranty

6. Will more than one cordless phone work in the house?

Whether or not you are able to use t wo or more cordless phones in your house varies, depending on how many cordless phones you have in your house and how close the cordless phones are to each other. Problems you could experience include:

- intermittent ringing
- cross talk
- interference
- inability of the handset to access the base

Changing the channel on one phone may help. Relocating one of the bases may also help.

7. How can I find a replacement battery? Batteries are typically available locally at Radio Shack, Walmart, K-Mart or anywhere cordless phone accessories are sold. You must match the

Shack, Walmart, K-Mart or anywhere cordless phone accessories are sold. You must match the voltage, milliamp hours (mAH) and the connector of your current battery exactly to the new one to ensure proper operation of your cordless phone. You should take the original battery with you to the store to match these features. Or order the battery from Cobra.

Cobra warrants that its cordless telephone products, and the component parts thereof, will be free from defects in workmanship and materials for a period of one (1) year from the date of first consumer purchase. This warranty may be enforced by the first consumer purchaser, provided that the product is utilized within the U.S.A.

Cobra, without charge, will repair, or replace, at its option, defective cordless telephone products or component parts upon delivery to Cobra factory Service Department, accompanied by proof of the date of first consumer purchase, such as a duplicated copy of a sales receipt.

You must pay any initial shipping charges required to ship the product for warranty service, The return charges will be at Cobra's expense if the product is repaired or replaced under warranty.

Exclusions: This limited warranty does not apply 1) to any product damaged by accident, improper line voltage or weather related circumstances;2) in the event of misuse or abuse of the product or as a result of unauthorized alterations or repairs;3) to non-defective original equipment Nickel Cadmium rechargeable batteries;4) if the serial number has been altered, defaced or removed; or 5) if the owner of the product resides outside of the U.S.A.

All implied warranties, including warranties of merchantability and fitness for a particular purpose, are limited in duration to the length of this warranty.

Cobra shall not be liable for any incidental, consequential or other damages, including, without limitation, damages resulting from loss of use or cost of installation.

Some states do not allow limitations on how long an implied warranty lasts and/or do not allow the exclusion or limitation of incidental or consequential damages, so the above limitations may not apply to you.

This limited warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

Cobra Electronics Corporation

6500 West Cortland Street Chicago, Illinois 60707





Accessory Order Form

Accessories

Nickel-Cadmium Battery Pack Assembly with Connector

For use with model CP-9135 213-021-N-001 \$15.00

AC Power Adapter

For use with model CP-9135 768-032-N-001 \$15.00

Charge Cradle

For use with model CP-9135 CR-900 \$10.00

Headset

For use with model CP-9135 H-900 \$25.00

Part #	Description	Cost Ea.	Qty.	Amount
213-021-N-001	Nickel-Cadmium Battery Pack w/Connector	\$15.00		
768-032-N-001	AC Power Adapter	\$15.00		
CR-900	Charge Cradle	\$10.00		
H-900	Headset	\$25.00		
i fices subject to charige without notice.		Amount		
		(Tax if applic	able)	

Tax Table Illinois residents add 7% Cook Co. residents add .75% (7.75% total) Chicago residents add 1% (8.75% total)

Indiana residents add 5% Michigan residents add 4 % Minnesota residents add 6% Ohio residents add 6 % Wisconsin residents add 5%

For credit card orders fill out order form and fax to:1.773.622.2269 or call 1.773.889.3087 (Press 1 from the main menu) 8:00 am - 8:00 pm,M-F, CST.

Make check or money order (no stamps) payable to: Cobra Accessories Dept. 6500 West Cortland St. Chicago, IL 60707

Shipping/handling \$4.00

Please print clearly

Address (No P.O. Box) _ Zip ___

Telephone (____)_ Credit Card No. _ __ Exp. Date ___ Customer Signature ___

Circle One: Visa MasterCard Discover

Allow 4 to 6 weeks for delivery. Offer valid in Continental U.S.only.

