



Fig. 7-1



Fig. 7-2



Fig. 7-3



Fig. 7-3a



Decocking the Safety
Figure 7-3b

Fig. 7-3b



Decocking the Safety
Figure 7-3b

Fig. 7-4



Sweeping the Safety
Figure 7-4a



Sweeping the Safety
Figure 7-4b

Fig. 7-4b



Fig. 7-5



Fig. 7-5a



Fig. 7-5b



Fig. 7-6



Clearing Gear and Grasping the Charging Handle
Figure 7-7

Fig. 7-7



Depressing the Safety
Figure 7-8

Fig. 7-8



Fig. 7-8a



Fig. 7-8b



Fig. 7-9



Fig. 7-10



Fig. 7-11



Fig. 7-11A



Fig. 7-11b



Fig. 7-12



Fig. 7-13



Fig. 7-13a



Fig. 7-14



Fig. 7-15



Fig. 7-16




Figure 8-1

Fig. 8-1




Figure 6-1. Clock System.

Fig. 8-2




Figure 6-3. Flag Method.

Fig. 8-3

RANGE FLAG ANGLES	5 MPH	10 MPH	15 MPH	20 MPH	25 MPH			
RANGE YARDS	WIND VALUE	WIND VALUE	WIND VALUE	WIND VALUE	WIND VALUE			
	F U L L	$\frac{1}{2}$	F U L L	$\frac{1}{2}$	F U L L	$\frac{1}{2}$	F U L L	$\frac{1}{2}$
200	2	1	3	1	5	2	6	3
300	3	1	6	3	10	5	13	6
400	4	2	9	4	13	6	18	9
500	6	3	12	6	18	9	24	12
600	8	4	15	7	23	11	31	16
700	10	5	20	10	30	15	39	20
800	12	6	25	12	37	18	50	25

Figure 6-4. Windage Click Chart.

Fig. 8-5



Fig. 8-6




Figure 7-1. Elements of Zeroing.

7-1

Fig. 9-1




Figure 7-3. Front Sight.

Fig. 9-2




Figure 7-4. Front Sight Adjustment.

Fig. 9-3




Figure 7-6. Rear Sight.

Fig. 9-4




Figure 7-9. Elevation Knob Set at 8/3.

Fig. 9-5



Fig. 9-6



Fig. 9-7




Figure 7-10. Windage Knob.

Fig. 9-8



Fig. 9-9




Figure 7-9. Elevation Knob Set at 8/3.

Fig. 9-10




Figure 7-12. Marking Windage Knob.

Fig. 9-11




Figure 7-2. 300-Yard Zero.

Fig. 9-15