
ELOCCIO SER GUIDE



A GUIDE TO THE Electro mark!! 6-LINE TERMINAL



FEATURES ACCESS FEATURES ACCESS CODES 6#XXX Call Pick-Up Directed ## Account Code Call Pick-Up Group **6*** 550 All Call 561 External Page Zone 1 n Attendant Call 562 External Page Zone 2 *1 Automatic Callback 563 49 + 1 or 2External Page Zone 3 Background Music-Set 564 External Page All Zones Background Music-Cancel 49 External Page Meet Me 566 Callback Message-Set 551 Internal Page Zone 1 41XXX Call Forward All Calls (set) 552 Internal Page Zone 2 Call Forward All Calls (verifv) 41 553 Internal Page Zone 3 **⊿1**★ Call Forward All Calls (cancel) 554 42XXX Internal Page All Zones Call Forward Busy/No Answer (set) 556 Internal Page/All Call Meet Me Call Forward Busy/No Answer (verify) 42 * Last Number Redial Call Forward Busy/No Anwer (cancel) 42* 60 Night Call Pick-Up Call Forward All Calls Station Lockout Set/Cancel 61 +47XXXXXXX Destination (set) Special Code Call Forward All Calls # (00-19) 47XXX Station Speed Dial Access Destination (verify) # (20-99) System Speed Dial Access Call Forward All Calls Tone Override *0 47XXX * Destination (cancel) 9.8.70 - 75 Trunk Access Call Forward Busy/No Answer

Trunk Queue

XXX = Extension Number

*****1

NOTES: 1. All user operations assume prime line pickup is assigned the terminals primary extension.
2. All access codes used assume standard access codes have been maintained.

48XXXXXXX

48XXX

48XXX *

4*(0-9)

Destination (set)

Call Park Access

Destination (verify)
Call Forward Busy/No Answer

Destination (cancel)

Call Forward Busy/No Answer

TERMINAL ASSIGNMENTS

- With terminal idle, depress **CNF** button, LED flashes
- 1st line button LED off no off-hook ringing

LED on - off-hook ringing

- 2nd line button LED off -voice announce provided
 - LED on tone ringing provided
- 3rd line button LED off ringing tone #1
 - LED on ringing tone #2

■ After assignments are set, depress CNF button, LED goes off

PLACING AN OUTSIDE CALL

- Lift handset
- Dial the Trunk Access Code _____

OR

- Lift handset
- Depress idle outside line button

THEN

■ Dial the desired telephone number

OR

■ Dial Station Speed Dial # (00-19)

OR

■ Dial System Speed Dial # (20-99)

OR

■ Depress * button for Last Number Redial

ANSWERING AN OUTSIDE CALL

- Receive incoming ringing call
- Lift handset
- Depress flashing **ANS** button*

OR

- Lift handset
- Depress flashing line button*

*When ringing line preference is assigned, this step is not needed.

MONITORING AN OUTSIDE CALL

- Establish handset connection as outlined above
- Depress **SPKR** button, LED lights
- Replace handset (adjust speaker volume if needed)
- Lift handset to resume conversation

CALLING THE ATTENDANT

- Lift handset
- Dial 0

CALLING ANOTHER STATION

- Lift handset
- Dial desired station number
- Voice announce after hearing tone burst or hear ringback
- Dial 1 to change voice announce to ringing call

ANSWERING A CALL FROM A STATION

- Receive ringing or voice announce call
- Lift handset
- Depress flashing **ANS** button or extension button*

OR

- Receive voice page call
- Ensure MIC button LED is lit
- Respond handsfree

^{*}When ringing line preference is assigned, this step is not required.

HOLDING CALLS

- Ask other party to hold
- Depress **HOLD** button, held line button flashes. This same line button will flash on any other terminals on which it appears. These terminals can retrieve this held call

OR

- Ask other party to hold
- Depress **HOLD** button twice, held line key flashes at your terminal but is busy (lit steadily) at other terminals where it appears. Only the terminal that set exclusive hold can retrieve that call

RETRIEVING HELD CALLS

- Lift handset
- Depress held line button, converse

NOTE: Unretrieved held calls (both normally held and exclusively held) will recall after a preset time interval. A distinct tone and rapidly fluttering LED indicate this recall.

TO SET A TRUNK QUEUE

After attempting to seize a CO/PBX line via dial access from an extension line and receiving busy tone, because all of the trunks in that particular group are busy

- Dial Trunk Queue Access Code *1, receive confirmation tone
- Restore handset

RECEIVING TRUNK QUEUE RECALL

Recall tone will occur when a trunk within the Trunk Group to which the queue was set becomes idle and the station which set the queue is also idle

- Lift handset
- Depress flashing ANS button or EXT line button, receive dial tone
- Dial desired number
- Converse with party

NOTES: 1.A Trunk Queue will be automatically cancelled if the recall to the extension is not answered within a pre-programmed time interval.

- 2.A Trunk Queue will be cancelled by any attempt to access a CO/PBX line via dial access from any extension, by the station which set the Trunk Queue.
- 3. Trunk Queuing cannot be accessed by a station that is assigned LCR. If this is attempted, re-order tone will be heard.
- 4. Recall will not occur until the station that set the queue and its primary extension are idle.
- 5. Internal calls do not affect Trunk Queue.

TO PARK A CALL

- With call in progress depress TRF button, receive feature dial tone
- Call is placed on Consultation Hold
- Dial Call Park Access Code 4*
- Dial Call Park Location Number (0-9), receive confirmation tone

OR

If the Call Park Location Number dialed is Busy (Busy Tone Received):

■ Use step call to advance to an idle call park location, receive confirmation tone

NOTES: 1. Conference calls on more than one Line Key cannot be parked.

2. A four (4) party conference cannot be parked.

RETRIEVING A CALL FROM CALL PARK

- Lift handset, receive dial tone
- Dial Call Park Access Code 4*
- Dial Call Park Location number (0-9) of the call to be retrieved; converse

NOTE: Any call left in Call Park for longer than a pre-programmed interval will recall on the primary extension of the station which parked the call. This recall can be picked up by other stations in the system via Directed Call Pick-up.

STEP CALL

- Lift handset, receive dial tone
- Dial desired station
- Receive busy tone
- Dial last digit of next station number desired within the same 10's group (i.e., station 105 is busy, then dial 0-4 or 6-9 to call station 100-104 or 106-109)

NOTE: Step calls can be made to any station whose first and second digits (in the case of 3 digit extension numbers) are the same as those of the busy extension number previously dialed.

TRANSFERRING CALLS

- With call in process, depress TRF button, receive feature dial tone
- Original party is automatically held
- Dial the desired station number
- Voice announce after tone burst or, if ringing call, wait for station to answer for announced transfer
- Depress TRF button or restore handset

CAMP-ON TRANSFER

- With call in progress, depress TRF button, receive feature dial tone
- Original call is automatically held
- Dial the desired station number
- Receive call waiting tone
- Depress TRF button or restore handset

ANSWERING A CAMP-ON

- With call in progress, receive camp-on tone on handset
- Depress flashing ANS button
- First call is automatically held and camp-on is answered
- By depressing **ANS** button you can alternate between both parties
- To release one party, depress **RECALL** button while connected. Then depress **ANS** button to return to other party

ESTABLISHING A BROKERS CALL

- With a call in progress, depress **TRF** button or the **CNF** button, receive feature dial tone
- Depress another extension or outside line button and call the second party
- By depressing **ANS** button you can alternate between both parties
- To release one party, depress **RECALL** button while connected. Then depress **ANS** button to return to other party **OR**
- With a call in progress, depress **TRF** button or **CNF** button, receive feature dial tone
- Call the second party *
- By depressing **ANS** button you can alternate between both parties
- To release one party, depress **RECALL** button while connected. Then depress **ANS** button to return to other party

*If original call is on an outside line button, added party must be an extension. If original call is on an extension button, added party can be an extension or an outside line.

NOTE: Any time during brokers call, a conference can be established by depressing CNF key.

ESTABLISHING A CONFERENCE

- With a call in progress, depress the CNF button, receive feature dial tone
- Depress another extension or outside line button and call the second party
- When party answers, announce conference
- Depress CNF button. Three party conference is established
- Repeat procedure to add fourth party

NOTE: NO more than 2 parties can be outside lines.

OR

- With a call in progress, depress CNF button, receive feature dial tone
- Call the second party *
- When party answers, announce conference
- Depress CNF button. Three party conference is established
- Repeat procedure to add fourth party

*If original call is on an outside line button, added parties must be extensions. If original call is on extension button, added parties can be extensions or outside lines.

NOTE: No more than 2 parties can be outside lines.

USING TONE OVERRIDE

- After calling another extension and receiving call waiting tone
- Dial *0 to provide tone override
- Wait for called extension to become idle or to answer

ANSWERING A TONE OVERRIDE

- With a call in progress, receive an override tone
- Depress flashing ANS button and converse with overriding party
- By depressing ANS button you can alternate between original and overriding party
- To release one party, depress the **RECALL** button while connected. Then depress the **ANS** button to return to the other party

SETTING A CALLBACK MESSAGE

- After calling a terminal equipped with a display and receiving no answer, call waiting tone, or busy tone
- Dial # to leave a message indication on the terminal display
- Successful attempts to leave callback messages receive confirmation tone. Denied attempts receive an error tone burst
- Restore handset

TRANSFER CALLS/CAMP-ON/BROKERS CALL/CONFERENCE/OVERRIDE/MESSAGE

SETTING AN AUTOMATIC CALLBACK

- After calling another extension and receiving call waiting tone
- Dial *1
- Successful attempts to set automatic callback receive confirmation tone. Denied attempts receive an error tone burst
- Restore handset

WHEN BOTH TERMINALS IDLE

- Originating extension rings
- Depress ANS button
- Lift handset
- Call to other station occurs automatically .

CALL FORWARDING CALLS TO ANOTHER EXTENSION

TO SET

- Depress **SPKR** button, receive dial tone
- Dial Call Forward Access Code (41 for Forward All Calls or 42 for Forward Busy/No Answer)
- Dial the number of the extension where you want your calls forwarded
- Receive confirmation tone
- Depress **SPKR** button

TO CANCEL

- Depress **SPKR** button, receive dial tone
- Dial call Forward Access Code (41 or 42)
- Dial *
- Receive confirmation tone
- Depress **SPKR** button

CALL FORWARDING CALLS FROM ANOTHER EXTENSION

TO SET

- Depress **SPKR** button, receive dial tone
- Dial Call Forward Access Code (47 for Forward All Calls or 48 for Forward Busy/No Answer)
- Dial the extension number whose calls you want forwarded to you
- Dial your extension number
- Receive confirmation tone
- Depress **SPKR** button

TO CANCEL

- Depress **SPKR** button, receive dial tone
- Dial Call Forward Access Code (47 for Forward All Calls or 48 for Forward Busy/No Answer)
- Dial the extension number whose calls are forwarded to you
- Dial *
- Receive confirmation tone
- Depress **SPKR** button

CALL PICK-UP GROUP/DIRECTED

GROUP

- Lift handset, receive dial tone
- Dial Group Pick-up Access Code 6*
- The incoming ringing call is picked up

NOTE: Group call pick-up does not pick-up voice announce calls

DIRECTED

- Lift handset, receive dial tone
- Dial Directed Call Pick-up Access Code 6#
- Dial extension number of terminal receiving ringing or voice announce call

NIGHT CALL PICK-UP

- With system in night mode
- Hear incoming ring for outside call
- Lift handset
- Dial pick-up code 60
- Converse with outside party

INTERNAL PAGING AND ALL CALL

TO PAGE

- Lift handset, receive dial tone
- Dial desired internal paging zone
 - 551 Zone 1
 - 552 Zone 2
 - 553 Zone 3
 - 554 All Zones
 - 550 All Call

TO ANSWER

- Lift handset, receive dial torie
- Dial Meet-me Answer Code 556

EXTERNAL PAGING

TO PAGE

- Lift handset, receive dial tone
- Dial desired external paging zone
 - 561 Zone 1
 - 562 Zone 2
 - 563 Zone 3
 - 564 All 7 ones

TO ANSWER

- Lift handset, receive dial tone
- Dial Meet-me Answer Code 566

USING SAVE AND REPEAT

TO SAVE

■ After originating an outside call, depress line button assigned as save & repeat button. LED lights

TO REPEAT

- Lift handset
- Depress lit save & repeat button. LED goes off
- Number saved is dialed again
- This number is no longer saved unless you again depress save & repeat button.

DO NOT DISTURB

TO SET

■ Depress line button assigned as **DND** button, LED lights

TO CANCEL

■ Depress line button assigned as **DND** button, LED is off

BACKGROUND MUSIC

TO SET

- Depress **SPKR** button, receive dial tone
- Dial BGM Access Code 49
- Dial desired channel number (1 or 2)
- Depress SPKR button, BGM is heard

TO CANCEL

- Depress **SPKR** button, receive dial tone
- Dial BGM Access Code 49
- Depress SPKR button, LED goes off. BGM is canceled

STATION LOCKOUT

TO CHANGE PERSONAL LOCKOUT CODE

- Depress **SPKR** button, receive dial tone
- Dial Access Code for Lockout Code change, 59
- Dial current Personal Lockout Code
- Dial *
- Dial desired Personal Lockout Code (up to 10 digits)
- Dial *, receive confirmation tone
- Depress **SPKR** button

TO LOCKOUT TERMINAL

- Depress **SPKR** button
- Dial Access Code for Lockout, 61
- Dial Personal Lockout Code, receive confirmation tone
- Depress **SPKR** button

TO CANCEL LOCKOUT

- Depress **SPKR** button
- Dial Lockout Access Code, 61
- Dial Personal Lockout Code, receive confirmation tone
- Depress **SPKR** button

VOICE MAIL

- Lift handset, receive dial tone
- Dial Voice Mail Number (63 if voice mail hunt group is assigned or individual extension number may be assigned)
- Follow voice mail equipment instructions

MESSAGE WAITING

- Two types of message waiting are possible MW LED Flashes – voice mail message MW LED Steady – attendant message waiting (from DSS/BLF)
- Call the source of the message waiting indication. Attendant messages waiting will be cleared by the attendant. Voice mail message waiting will be cleared when the voice mail messages are received

ACCOUNT CODE ENTRY

- While on an outside call, depress TRF button, receive feature dial tone
- Dial ##
- Dial Account Code. If number of digits in account code dialed equals preset number, you are automatically reconnected to outside party
- If not automatically reconnected, depress ANS button for reconnection

TO PROGRAM STATION SPEED DIAL

- With terminal idle, depress **CNF** button, LED flashes
- Dial speed dial buffer number (00-19)
- Dial trunk access code
- Dial desired telephone number (use TRF button to insert pauses)
- Depress CNF button, LED goes off

DIRECTO	ORY		
		='	
NAME	AREA CODE & NUMBER	NAME	AREA CODE & NUMBER
-			
	,		
·			
-			