


TLRD-784-261-110

Issue 1, July 1984

key bx 816

Customer Service Manual

Telrad



**III. System
Configuration
Guide**

1947
1948

1949

1950

1951
1952
1953
1954
1955
1956
1957
1958
1959
1960

1961
1962
1963

1964
1965

key bx 816

Customer Service Manual

Part 3: System Configuration Guide

TLRD-784-261 110
Issue 1, July 1984

key bx 816
Office Telephone Systems
Customer Service Manual

Part 3: System Configuration Guide

Telrad Telecommunications and Electronics Industries, Ltd.
POB 50, Lod, Israel

NOTICE

This manual is applicable to the key bx 816 software version C. Telrad, Ltd., reserves the right to make changes in the equipment described, and in this manual, without notification. However, changes in the equipment do not necessarily render this manual invalid.

Additional copies of this manual may be obtained from Telrad, Ltd. Reproduction of this manual, without written permission from Telrad, Ltd., is strictly prohibited.

© 1984 Telrad Telecommunication and Electronic Industries, Ltd.

CONTENTS

1	HARDWARE DESCRIPTION	1
1.1	Introduction	1
1.2	KSU Hardware	1
1.2.1	Maximum Configuration	1
1.2.2	Main Card	1
1.2.3	Trunk/Line Cards	3
1.2.4	Impulse Dial Card	3
1.2.5	Option Card	3
1.3	Power Equipment	3
1.4	Power Backup Equipment	4
1.5	Interconnect Equipment	4
2	PROVISIONING AND LAYOUT	5
2.1	Hardware Provisioning	5
2.2	System Layout	5
2.2.1	Common Equipment	5
2.2.2	Extensions	5
2.2.3	Emergency telephone locations	6
3	FEATURE CONFIGURATION	7
3.1	Introduction	7
3.2	CO Line-Station Applied Features Set-up	7
3.2.1	CO Line Access Restriction	7
3.2.2	Toll Restriction	7
3.2.3	Incoming Call Ringing (Day)	7
3.2.4	Incoming Call Flashing (Day)	9
3.2.5	Incoming Call Ringing (Night)	9
3.2.6	Incoming Call flashing (Night)	9

Contents (Continued)

3.3	CO Line Applied Features Set-up	9
3.3.1	CO Lines Behind PABX	9
3.3.2	CO Lines Behind CENTREX	9
3.3.3	Four Trunk Queue Groups	9
3.3.4	Lay Bells (Future Option)	9
3.3.5	Night Bells (Future Option)	9
3.3.6	Transfer Restriction	9
3.3.7	Impulse Dialing CO Lines	10
3.3.8	Table Restriction Mode	10
3.3.9	Interdigital Pause	10
3.3.10	Make/Break Ratio	10
3.3.11	Pulses Per Second	10
3.4	Station Applied Features Set-up	10
3.4.1	Paging Access	10
3.4.2	Page Routing	10
3.4.3	OPX DTMF	10
3.4.4	OPX Rotary	10
3.4.5	DND Access	12
3.4.6	DND Forward	12
3.4.7	Manager/Secretary	12
3.4.8	Two Pick Up Groups (Future Option).	12
3.4.9	Background Music Access	12
3.4.10	System Speed Restriction	12
3.4.11	System Speed Toll Restriction	12
3.4.12	411 Restriction	12
3.4.13	Automatic Answer	12
3.4.14	Flash Access	12
3.4.15	All Intrusion	12
3.4.16	On-Hook Verbal Intrusion	12
3.4.17	DSS Barge In (Future Option)	12
3.4.18	DND Intrusion	12
3.4.19	ICM Restriction	13
3.5	System Applied Features Set-up	13
3.5.1	Hold Time	13
3.5.2	Day Recall Time	13
3.5.3	Night Recall Time	13
3.5.4	DSS Recall Time	13
3.5.5	Unscreened Transfer Recall Time	13
3.5.6	Page Time	14
3.5.7	Handsfree Talkback Time	14
3.5.8	Flash Time (Behind PABX Lines)	14
3.5.9	Flash Time (Behind CENTREX Lines)	15
3.5.10	CCSA Time	15
3.5.11	Open Loop Time	15
3.5.12	System Speed-Dial Programming Station	15
3.5.13	Time Setting Station	15
3.5.14	Key/Hybrid System Select	15
3.5.15	Save Repeat/Ground Select	15
3.5.16	Toll Access Restriction	15
3.5.17	Manual Pause	15
3.5.18	SMDR Existence	16

Contents (continued)

3.6	CDR Features Set-up	16
3.6.1	Baud Rate	16
3.6.2	Parity	16
3.6.3	Header	16
3.6.4	Blank Line	16
3.6.5	Page Length	16
3.6.6	End of Page	16
3.6.7	Participating Stations	16
3.6.8	Minimum Time - Incoming Call	16
3.6.9	Minimum Time - Local Call	16
3.6.10	Minimum Time - Long Distance Call	16
3.6.11	Minimum Number of Digits	18
3.6.12	Forced Account Code	18
3.7	Toll Table Set-up	18
4	PROGRAMMING: INTRODUCTION	19
4.1	Programming Equipment	19
4.1.1	DSS Console	19
4.1.2	Programming Forms	19
4.1.3	Programming Overlays	19
4.2	The Programming Process	23
4.2.1	Setting Up	23
4.2.2	Programming	23
5	TRUNK-STATION FEATURES	27
5.1	Access Restriction	27
5.2	Toll Restriction	27
5.3	Day Ringing	27
5.4	Day Flashing	28
5.5	Night Ringing	28
5.6	Night Flashing	28
6	CO LINE FEATURES	33
6.1	CO Lines Behind PABX	33
6.2	CO Lines Behind CENTREX	33
6.3	Trunk Groups	33
6.4	Bells	34
6.5	Impulse-dialed CO Lines	34
6.6	Interdigital Pause	34
6.7	Make-Break Ratio	34
6.8	Pulses Per Second	34
6.9	Dial Restriction After Transfer	35
6.10	Table Restriction	35

Contents (continued)

7	EXTENSION FEATURES PROGRAMMING	41
7.1	Paging Access	41
7.2	Page Routing	41
7.3	OPX DTMF and OPX Rotary	42
7.4	DND Access	42
7.5	DND Forward and Manager-Secretary	42
7.6	Pick-up Groups	42
7.7	Background Music Access	42
7.8	System Speed-Dial and Speed-Dial Toll Restrictions	42
7.9	411 Restriction	43
7.10	Automatic Answer	43
7.11	Flash Access	43
7.12	All Intrusion	43
7.13	On-Hook Verbal Intrusion	43
7.14	DSS Barge-in	43
7.15	ICM Restriction	44
7.16	DND Intrusion	44
8	SYSTEM FEATURES CONFIGURATION	59
8.1	Call Routing Times	59
8.2	Interface Parameters	59
8.3	Privileged Stations	59
8.4	System Function Configuration	60
9	TOLL RESTRICTION CONFIGURATION	69
9.1	General	69
9.2	Example	70
	APPENDIX A Configuration Summary	A-1
	APPENDIX B Programming Forms	B-1