


TLRD-784-261-108  
Issue 1, July 1984

# **key bx 816**

## **Customer Service Manual**

**Telrad**



**I. System  
Description**

18 OCT  
1954

James R. [unclear]

Director of [unclear]

Very truly yours,  
[unclear]

TLRD-784-261-108  
Issue 1, July 1984

**key bx 816**  
**Office Telephone System**  
**Customer Service Manual**

*Part 1: System Description*

Telrad Telecommunications and Electronics Industries, Ltd.

POB 50, Lod, Israel

## NOTICE

This manual is applicable to the key bx 816 software version C. Telrad, Ltd., reserves the right to make changes in the equipment described, and in this manual, without notification. However, changes in the equipment do not necessarily render this manual invalid.

Additional copies of this manual may be obtained from Telrad, Ltd. Reproduction of this manual, without written permission from Telrad, Ltd., is strictly prohibited.

© 1984 Telrad Telecommunication and Electronic Industries, Ltd.

# CONTENTS

1	INTRODUCTION . . . . .	1
1.1	General . . . . .	1
1.2	Purpose of Manual . . . . .	1
1.3	The key bx Family . . . . .	1
1.4	System Advantages . . . . .	3
1.5	System Components . . . . .	3
	1.5.1 Switching and Power Equipment . . . . .	3
	1.5.2 Terminal Equipment . . . . .	3
	1.5.3 Direct Station Select (DSS) Console . . . . .	4
2	FEATURES AND SERVICES -- GENERAL . . . . .	5
2.1	General . . . . .	5
2.2	Features Table . . . . .	5
3	SYSTEM FEATURES . . . . .	13
3.1	Nonblocking Access . . . . .	13
3.2	Programmable System Times . . . . .	14
3.3	Station Priority Service . . . . .	14
3.4	Call Detail Recording (CDR) . . . . .	14
3.5	PABX and CENTREX Interface . . . . .	15
3.6	Split Configuration . . . . .	17
3.7	Open Loop Detection . . . . .	18
3.8	Selectable Dial Signaling . . . . .	18
3.9	Hybrid Configuration . . . . .	19
3.10	External Inputs . . . . .	19
3.11	External Outputs . . . . .	19
3.12	External Relays . . . . .	19

4	CALL ROUTING FUNCTIONS . . . . .	21
4.1	Configurable Call Routing . . . . .	21
4.1.1	Direct Extension Access . . . . .	21
4.1.2	Private Line Service . . . . .	21
4.2	Automatic Call Handling . . . . .	22
4.3	Day and Night Service . . . . .	24
4.4	External Bells . . . . .	24
4.5	Pick-up Groups . . . . .	24
4.6	Hunt Groups . . . . .	24
4.7	Page Groups . . . . .	24
4.8	Call Forwarding . . . . .	25
5	USER FEATURES . . . . .	27
5.1	Intercom Calling . . . . .	27
5.2	Hold . . . . .	27
5.3	Direct Station Selection . . . . .	28
5.4	Automatic Answer . . . . .	28
5.5	Speed Dialing . . . . .	28
5.6	Call Transfer . . . . .	29
5.7	Flash Disconnect . . . . .	29
5.8	Conference Calling . . . . .	29
5.9	Do Not Disturb . . . . .	29
5.10	Messages . . . . .	30
5.11	Display . . . . .	30
5.12	Alarm Clock . . . . .	30
5.13	Trunk Queuing . . . . .	32
5.14	Attendant Features . . . . .	32
6	DIALING RESTRICTIONS . . . . .	33
6.1	General . . . . .	33
6.2	CO Line Restriction Definition . . . . .	34
6.3	Speed Dial . . . . .	34
6.4	Example . . . . .	34
	APPENDIX A key bx Comparative Chart . . . . .	A-1

# ILLUSTRATIONS

1-1	key bx Key Switching Unit (KSU), open, with station . . . . .	vi
1-2	Standard Station and Direct Station Select (DSS) console . . . . .	2
1-3	Feature Phone . . . . .	2
3-1	Switching matrix architecture . . . . .	13
3-2	Call Detail Recording (CDR) printout . . . . .	15
3-3	Installation behind PABX . . . . .	16
3-4	Tenant service configuration . . . . .	18
4-1	Example of call routing configuration . . . . .	20
4-2	Call handling during hold . . . . .	23
4-3	Call handling after transfer . . . . .	23
4-4	Call routing during day and night service . . . . .	26
5-1	Most common displays of standard station . . . . .	31
6-1	Dial restriction flowchart . . . . .	35
6-2	Dial restriction configuration example . . . . .	36




Figure 1-1 key bx 816 Key Switching Unit (KSU), open, with station.  
(version with separate memory card.)